Accepted Manuscript

Are valved holding chambers (VHCs) interchangeable? An in vitro evaluation of VHC equivalence

Sanjeeva Dissanayake, Mark Nagel, Emanuela Falaschetti, Jason Suggett

PII: \$1094-5539(17)30184-0

DOI: 10.1016/j.pupt.2017.10.005

Reference: YPUPT 1669


To appear in: Pulmonary Pharmacology & Therapeutics

Received Date: 30 July 2017

Revised Date: 6 October 2017 Accepted Date: 8 October 2017

Please cite this article as: Dissanayake S, Nagel M, Falaschetti E, Suggett J, Are valved holding chambers (VHCs) interchangeable? An in vitro evaluation of VHC equivalence, *Pulmonary Pharmacology & Therapeutics* (2017), doi: 10.1016/j.pupt.2017.10.005.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Are valved holding chambers (VHCs) interchangeable? An in vitro evaluation of VHC equivalence

Sanjeeva Dissanayake^a MRCP MSc, Mark Nagel^b HBSc, Emanuela Falaschetti^c MSc, Jason Suggett^{b*} PhD BPharm

^aCertior Consulting, 143 Victoria Road, London NW6 6TE, UK

^bTrudell Medical International, 725 Third Street, London, Ontario N5V 5G4, Canada

^cImperial College Clinical Trials Unit, 68 Wood Lane, London W12 7RH, UK

*Corresponding author

sanjeeva@certiorconsulting.com

MNagel@trudellmed.com

e.falaschetti@imperial.ac.uk

JSuggett@trudellmed.com

Download English Version:

https://daneshyari.com/en/article/8537877

Download Persian Version:

https://daneshyari.com/article/8537877

<u>Daneshyari.com</u>