


Accepted Manuscript

The cardenolide ouabain suppresses coronaviral replication via augmenting a Na^+/K^+ -ATPase-dependent PI3K_PDK1 axis signaling

Cheng-Wei Yang, Hsin-Yu Chang, Yue-Zhi Lee, Hsing-Yu Hsu, Shiow-Ju Lee



PII: S0041-008X(18)30342-9
DOI: doi:[10.1016/j.taap.2018.07.028](https://doi.org/10.1016/j.taap.2018.07.028)
Reference: YTAAP 14352
To appear in: *Toxicology and Applied Pharmacology*
Received date: 7 May 2018
Revised date: 10 July 2018
Accepted date: 23 July 2018

Please cite this article as: Cheng-Wei Yang, Hsin-Yu Chang, Yue-Zhi Lee, Hsing-Yu Hsu, Shiow-Ju Lee , The cardenolide ouabain suppresses coronaviral replication via augmenting a Na^+/K^+ -ATPase-dependent PI3K_PDK1 axis signaling. Ytaap (2018), doi:[10.1016/j.taap.2018.07.028](https://doi.org/10.1016/j.taap.2018.07.028)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**The cardenolide ouabain suppresses coronaviral replication via augmenting a
Na⁺/K⁺-ATPase-dependent PI3K_PDK1 axis signaling**

Cheng-Wei Yang¹, Hsin-Yu Chang¹, Yue-Zhi Lee¹, Hsing-Yu Hsu¹, Shiow-Ju Lee^{1*}

¹Institute of Biotechnology and Pharmaceutical Research, National Health Research
Institutes, Miaoli 35053, Taiwan, ROC.

*To whom correspondence should be addressed. Tel: +886-37-246166 ext. 35715;

Fax: +886-37-586456; Email: slee@nhri.org.tw

Download English Version:

<https://daneshyari.com/en/article/8538007>

Download Persian Version:

<https://daneshyari.com/article/8538007>

[Daneshyari.com](https://daneshyari.com)