
Accepted Manuscript

The potential benefit of combined versus monotherapy of coenzyme Q10 and fluoxetine on depressive-like behaviors and intermediates coupled to $Gsk-3\beta$ in rats



Sally A. Abuelezz, Nevien Hendawy, Yosra Magdy

PII: S0041-008X(17)30499-4

DOI: doi:10.1016/j.taap.2017.12.018

Reference: YTAAP 14132

To appear in: Toxicology and Applied Pharmacology

Received date: 26 August 2017 Revised date: 25 December 2017 Accepted date: 28 December 2017

Please cite this article as: Sally A. Abuelezz, Nevien Hendawy, Yosra Magdy , The potential benefit of combined versus monotherapy of coenzyme Q10 and fluoxetine on depressive-like behaviors and intermediates coupled to Gsk-3 β in rats. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Ytaap(2017), doi:10.1016/j.taap.2017.12.018

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

The potential benefit of combined versus monotherapy of coenzyme Q10 and fluoxetine on depressive-like behaviors and intermediates coupled to Gsk-3 β in rats

Sally A. Abuelezz a , Nevien Hendawy $^{a^{*}}$ and Yosra Magdy a

Pharmacology Department^a, Faculty of Medicine Ain-Shams University, Cairo, Egypt

*Corresponding author; Tel.: +2026075084, mobile: +20 2 01001130285.

E-mail addresses: nevienhendawy@hotmail.com

Download English Version:

https://daneshyari.com/en/article/8538886

Download Persian Version:

https://daneshyari.com/article/8538886

<u>Daneshyari.com</u>