


Accepted Manuscript

Role of histone acetylation in activation of nuclear factor erythroid 2-related factor 2/heme oxygenase 1 pathway by manganese chloride

Zhipeng Zhang, Zhenkun Guo, Yanting Zhan, Huangyuan Li, Siying Wu



PII: S0041-008X(17)30419-2
DOI: doi:[10.1016/j.taap.2017.10.011](https://doi.org/10.1016/j.taap.2017.10.011)
Reference: YTAAP 14075
To appear in: *Toxicology and Applied Pharmacology*
Received date: 14 July 2017
Revised date: 10 October 2017
Accepted date: 16 October 2017

Please cite this article as: Zhipeng Zhang, Zhenkun Guo, Yanting Zhan, Huangyuan Li, Siying Wu , Role of histone acetylation in activation of nuclear factor erythroid 2-related factor 2/heme oxygenase 1 pathway by manganese chloride. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Ytaap(2017), doi:[10.1016/j.taap.2017.10.011](https://doi.org/10.1016/j.taap.2017.10.011)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Role of histone acetylation in activation of nuclear factor erythroid 2-related factor 2/heme oxygenase 1 pathway by manganese chloride

Zhipeng Zhang^{a,b,#}, Zhenkun Guo^{a,c,#}, Yanting Zhan^{a,d}, Huangyuan Li^{a,c,*}, Siying Wu^{a,f,*}

^a Fujian Provincial Key Laboratory of Environmental Factors and Cancer, School of Public Health, Fujian Medical University, Fuzhou 350122, China

^b Fujian Provincial Center for Adverse Drug Reaction Monitoring, Fujian Provincial Food and Drug Administration, Fuzhou 350001, China

^c The Key Laboratory of Environment and Health, School of Public Health, Fujian Medical University, Fuzhou 350122, China

^d Department of Management, Fujian Health College, Fuzhou 350101, China

^e Department of Preventive Medicine, School of Public Health, Fujian Medical University, Fuzhou 350122, China

^f Department of Epidemiology and Health Statistics, School of Public Health, Fujian Medical University, Fuzhou 350122, China

* Corresponding authors: Department of Preventive Medicine and Fujian Provincial Key Laboratory of Environmental Factors and Cancer, School of Public Health, Fujian Medical University, NO.1 Xue Yuan Road, University Town, Minhou County, Fuzhou 350122, China. Tel.: +86 591 22862527. Fax: +86 591 22862510. E-mail addresses: fmulhy@163.com (H. Li), fmuwsy@163.com (S. Wu).

Authors equally contributed to this article.

This work was supported by the National Natural Science Foundation in China (Grant 81573195, 81172715, 30800936), Fujian Province Funds for Distinguished Young Scientists (2012J06018) and the Provincial Natural Science Foundation of Fujian province (2017J01523).

Download English Version:

<https://daneshyari.com/en/article/8539142>

Download Persian Version:

<https://daneshyari.com/article/8539142>

[Daneshyari.com](https://daneshyari.com)