


Accepted Manuscript

Title: Black bean peptides inhibit glucose uptake in Caco-2 adenocarcinoma cells by blocking the expression and translocation pathway of glucose transporters

Authors: Luis Mojica, Diego A. Luna-Vital, Elvira Gonzalez de Mejia



PII: S2214-7500(18)30308-1
DOI: <https://doi.org/10.1016/j.toxrep.2018.04.007>
Reference: TOXREP 568

To appear in:

Received date: 20-10-2017
Revised date: 23-4-2018
Accepted date: 25-4-2018

Please cite this article as: Mojica L, Luna-Vital DA, de Mejia EG, Black bean peptides inhibit glucose uptake in Caco-2 adenocarcinoma cells by blocking the expression and translocation pathway of glucose transporters, *Toxicology Reports* (2018), <https://doi.org/10.1016/j.toxrep.2018.04.007>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Black bean peptides inhibit glucose uptake in Caco-2 adenocarcinoma cells by blocking the expression and translocation pathway of glucose transporters


Luis Mojica^{ab*}, Diego A. Luna-Vital^a, and Elvira Gonzalez de Mejia^a

^aDepartment of Food Science and Human Nutrition, University of Illinois at Urbana-Champaign, IL, 61801, United States.

^bTecnología Alimentaria, Centro de Investigación y Asistencia en Tecnología y Diseño del Estado de Jalisco, A. C., CIATEJ, 44270 Guadalajara, México.

*Corresponding author: E-mail: lmojica@ciatej.mx

Graphical abstract



Download English Version:

<https://daneshyari.com/en/article/8539580>

Download Persian Version:

<https://daneshyari.com/article/8539580>

[Daneshyari.com](https://daneshyari.com)