

Serum adiponectin levels predict acute coronary syndrome (ACS) in patients with severe carotid stenosis

Luca Liberale, Federico Carbone, Maria Bertolotto, Aldo Bonaventura, Alessandra Vecchié, François Mach, Fabienne Burger, Aldo Pende, Giovanni Spinella, Bianca Pane, Domenico Palombo, Franco Dallegri, Fabrizio Montecucco

PII: S1537-1891(17)30320-8
DOI: doi:10.1016/j.vph.2017.12.066
Reference: VPH 6443

To appear in: *Vascular Pharmacology*

Received date: 31 October 2017
Revised date: 12 December 2017
Accepted date: 30 December 2017

Please cite this article as: Luca Liberale, Federico Carbone, Maria Bertolotto, Aldo Bonaventura, Alessandra Vecchié, François Mach, Fabienne Burger, Aldo Pende, Giovanni Spinella, Bianca Pane, Domenico Palombo, Franco Dallegri, Fabrizio Montecucco , Serum adiponectin levels predict acute coronary syndrome (ACS) in patients with severe carotid stenosis. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Vph(2017), doi:10.1016/j.vph.2017.12.066

Serum adiponectin levels predict acute coronary syndrome (ACS) in patients with severe carotid stenosis

Luca Liberale[a,b*], Federico Carbone[a*], Maria Bertolotto[a], Aldo Bonaventura[a], Alessandra Vecchié[a], François Mach[c], Fabienne Burger[c], Aldo Pende[d], Giovanni Spinella[e], Bianca Pane[e], Domenico Palombo[e], Franco Dallegri[a,f], Fabrizio Montecucco[a,f,g]

[a] First Clinic of Internal Medicine, Department of Internal Medicine, University of Genoa, 6 viale Benedetto XV, 16132 Genoa, Italy;

[b] Center for Molecular Cardiology, University of Zürich, Wagistrasse 12, 8952, Schlieren, Switzerland;

[c] Division of Cardiology, Foundation for Medical Researches, Department of Medical Specialties, University of Geneva, 64 Avenue de la Roseraie, 1211 Geneva, Switzerland;

[d] Clinic of Emergency Medicine, Department of Emergency Medicine, University of Genoa and Ospedale Policlinico San Martino 10 Largo Rosanna Benzi, 16132 Genoa, Italy.

[e] Vascular and Endovascular Surgery Unit, Department of Surgery, University of Genoa and Ospedale Policlinico San Martino 10 Largo Rosanna Benzi, 16132 Genoa, Italy;

[f] Ospedale Policlinico San Martino 10 Largo Benzi, 16132 Genoa, Italy;

[g] Centre of Excellence for Biomedical Research (CEBR), University of Genoa, 9 viale Benedetto XV, 16132 Genoa, Italy.

* These authors equally contributed as first author.

Corresponding author: Luca Liberale, MD. Center for Molecular Cardiology, University of Zürich, Wagistrasse 12, 8952, Schlieren, Switzerland. Tel: +41 44 6355081; Fax: +41 44 6356827; E mail: luca.liberale@uzh.ch