Accepted Manuscript

Title: Risk assessment of exposure to aflatoxin B1 and ochratoxin A through consumption of different Pistachio (*Pistacia Vera* L.) cultivars collected from four geographical regions of Iran

Authors: Seyedeh Faezeh Taghizadeh, Ramin Rezaee, Gholamhossein Davarynejad, Javad Asili, Seyed Hossein Nemati, Marina Goumenou, Ioannis Tsakiris, Aristides M. Tsatsakis, Kobra Shirani, Gholamreza Karimi

PII: \$1382-6689(18)30112-1

DOI: https://doi.org/10.1016/j.etap.2018.05.010

Reference: ENVTOX 3023

To appear in: Environmental Toxicology and Pharmacology

Received date: 10-2-2018 Revised date: 17-5-2018 Accepted date: 19-5-2018

Please cite this article as: Taghizadeh SF, Rezaee R, Davarynejad G, Asili J, Nemati SH, Goumenou M, Tsakiris I, Tsatsakis AM, Shirani K, Karimi G, Risk assessment of exposure to aflatoxin B1 and ochratoxin A through consumption of different Pistachio (*Pistacia Vera* L.) cultivars collected from four geographical regions of Iran, *Environmental Toxicology and Pharmacology* (2018), https://doi.org/10.1016/j.etap.2018.05.010

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Risk assessment of exposure to aflatoxin B1 and ochratoxin A through consumption of

different Pistachio (Pistacia Vera L.) cultivars collected from four geographical regions of

Iran

Seyedeh Faezeh Taghizadeh^{a,1}, Ramin Rezaee^{b,1}, Gholamhossein Davarynejad^a, Javad Asili^c,

Seyed Hossein Nemati^a, Marina Goumenou^d, Ioannis Tsakiris^e, Aristides M Tsatsakis^f, Kobra

Shiranig, Gholamreza Karimih, i*

a Department of Horticulture and Landscape Engineering, Faculty of Agriculture, Ferdowsi University of Mashhad, Mashhad, Iran

b Clinical Research Unit, Faculty of Medicine, Mashhad University of Medical Sciences, Mashhad, Iran

c Department of Pharmacognosy, Faculty of Pharmacy, Mashhad University of Medical sciences, Mashhad, Iran

d European Food Safety Authority, Parma, Italy

e Department of Agricultural Technology, School of Agriculture Technology, Food Technology and Nutrition, TEI of Western Macedonia, Florina, Greece

f Center of Toxicology Science & Research, Medical School, University of Crete, Heraklion, Crete, Greece

g Department of Pharmacodynamy and Toxicology, Faculty of Pharmacy, Mashhad University of Medical Sciences, Mashhad, Iran

h Pharmaceutical Research Center, Institute of Pharmaceutical Technology, Mashhad University of Medical Sciences, Mashhad, Iran

i School of Pharmacy, Mashhad University of Medical Sciences, Mashhad, Iran

*Corresponding author

Gholamreza Karimi, Ph.D.

Professor of Pharmaceutical Research Center, Institute of Pharmaceutical Technology, Mashhad University of Medical Sciences, Mashhad, Iran

Mashhad, P. O. Box, 1365-91775. I.R. Iran.

Phone: +985131801000

Fax: +985131801000

E-mail: KarimiG@mums.ac.ir

1

¹ These authors contributed equally to this work.

Download English Version:

https://daneshyari.com/en/article/8545756

Download Persian Version:

https://daneshyari.com/article/8545756

Daneshyari.com