Accepted Manuscript

Title: *In vitro* activity of *Nigella sativa* against antibiotic resistant *Salmonella enterica*

Authors: Sadia Ashraf, Aftab Ahmad Anjum, Ali Ahmad, Sehrish Firyal, Saba Sana, Asma Abdul Latif

PII: S1382-6689(17)30338-1

DOI: https://doi.org/10.1016/j.etap.2017.12.017

Reference: ENVTOX 2936

To appear in: Environmental Toxicology and Pharmacology

Received date: 3-8-2017 Revised date: 25-10-2017 Accepted date: 16-12-2017

Please cite this article as: Ashraf, Sadia, Anjum, Aftab Ahmad, Ahmad, Ali, Firyal, Sehrish, Sana, Saba, Latif, Asma Abdul, In vitro activity of Nigella sativa against antibiotic resistant Salmonella enterica. Environmental Toxicology and Pharmacology https://doi.org/10.1016/j.etap.2017.12.017

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



In vitro activity of Nigella sativa against antibiotic resistant Salmonella enterica

Sadia Ashraf^a, Aftab Ahmad Anjum^{a1}, Ali Ahmad^a, Sehrish Firyal^b Saba Sana^a and Asma Abdul Latif^c

^aDepartment of Microbiology, University of Veterinary And Animal Sciences Lahore

^bInstitute of Biochemistry and Biotechnology, University of Veterinary And Animal Sciences Lahore

^cDepartment of Zoology, Lahore College for Women University Lahore

Highlights:

Salmonella eneterica has resistant against commonly used antibiotics.

Methanolic extract of Nigella sativa has antibacterial effect against S. enterica isolates of

human and poultry origin.

Essential oil of *N. sativa* showed anti-salmonella activity .

Aqueous extract of *N. sativa did* not show antibacterial activity against *Salmonella*.

The concentration that is considered as safe for cells is more than MIC value for bacteria.

ABSTRACT

Salmonellosis is a major food-borne disease worldwide and antimicrobial resistance

in Salmonella is a public health problem. Phytochemicals are alternative therapeutics to treat

antibiotic resistant Salmonella. Biochemically identified Salmonella enterica of human and

poultry origin (n=10) were confirmed by polymerase chain reaction. Susceptibility to antibiotics

was determined by Kirby Bauer disc diffusion method. *In-vitro* anti-salmonella activity of N.

sativa essential oil and extracts (aqueous and methanol) was determined against antibiotic

¹ Corresponding author: Department of Microbiology

University of Veterinary and Animal Sciences, Lahore Pakistan

Email address: aftab.anjum@uvas.edu.pk

Download English Version:

https://daneshyari.com/en/article/8545994

Download Persian Version:

https://daneshyari.com/article/8545994

<u>Daneshyari.com</u>