

# Accepted Manuscript

Phytol isolated from watermelon (*Citrullus lanatus*) sprouts induces cell death in human T-lymphoid cell line Jurkat cells via S-phase cell cycle arrest

Tomohiro Itoh, Akito Ono, Kaori Kawaguchi, Sayaka Teraoka, Mayo Harada, Keitaro Sumi, Masashi Ando, Yasuyuki Tsukamasa, Masayuki Ninomiya, Mamoru Koketsu, Toshiharu Hashizume

PII: S0278-6915(18)30182-0

DOI: [10.1016/j.fct.2018.03.033](https://doi.org/10.1016/j.fct.2018.03.033)

Reference: FCT 9669

To appear in: *Food and Chemical Toxicology*


Received Date: 10 November 2017

Revised Date: 22 February 2018

Accepted Date: 23 March 2018

Please cite this article as: Itoh, T., Ono, A., Kawaguchi, K., Teraoka, S., Harada, M., Sumi, K., Ando, M., Tsukamasa, Y., Ninomiya, M., Koketsu, M., Hashizume, T., Phytol isolated from watermelon (*Citrullus lanatus*) sprouts induces cell death in human T-lymphoid cell line Jurkat cells via S-phase cell cycle arrest, *Food and Chemical Toxicology* (2018), doi: 10.1016/j.fct.2018.03.033.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Phytol isolated from watermelon (*Citrullus lanatus*) sprouts induces cell death in human T-lymphoid cell line Jurkat cells via S-phase cell cycle arrest**

Tomohiro Itoh<sup>1,2</sup>, Akito Ono<sup>2</sup>, Kaori Kawaguchi<sup>2</sup>, Sayaka Teraoka<sup>2</sup>, Mayo Harada<sup>2</sup>, Keitaro Sumi<sup>2</sup>, Masashi Ando<sup>2</sup>, Yasuyuki Tsukamasa<sup>2</sup>, Masayuki Ninomiya<sup>3</sup>, Mamoru Koketsu<sup>3</sup>, Toshiharu Hashizume<sup>4</sup>

<sup>1</sup> Laboratory for Molecular Chemistry of Aquatic Materials, Department of Life Sciences, Graduate School of Bioresources, Mie University, 1577 Kurimamachiya, Tsu, Mie 514-8507, Japan

<sup>2</sup> Laboratory of Aquatic Food Science, Department of Fisheries, Faculty of Agriculture, Kindai University, 3327-204 Nakamachi, Nara 631-8505, Japan

<sup>3</sup> Department of Chemistry and Biomolecular Science, Faculty of Engineering, Gifu University, 1-1 Yanagido, Gifu 501-1193, Japan

<sup>4</sup> Hagihara farm Co., Ltd. 984 Hokoji, Tawaramoto-cho, Shiki-gun, Nara 636-0222, Japan

*\*Correspondence should be addressed to: Tomohiro ITOH*

1577 Kurimamachiya, Tsu, Mie 514-8507, Japan

Tel: 81-59-231-9675; Fax: 81-59-4231-9675

E-mail: [titoh@bio.mie-u.ac.jp](mailto:titoh@bio.mie-u.ac.jp)

Download English Version:

<https://daneshyari.com/en/article/8547491>

Download Persian Version:

<https://daneshyari.com/article/8547491>

[Daneshyari.com](https://daneshyari.com)