

# Accepted Manuscript

P53 tumor suppressor is required for efficient execution of the death program following treatment with a cytotoxic limonoid obtained from *Melia azedarach*

Mariana Belén Joray, Florencia Villafañez, María Laura González, María Inés Crespo, Jerónimo Laiolo, Sara María Palacios, José Luis Bocco, Gastón Soria, María Cecilia Carpinella

PII: S0278-6915(17)30217-X

DOI: [10.1016/j.fct.2017.04.039](https://doi.org/10.1016/j.fct.2017.04.039)

Reference: FCT 9024

To appear in: *Food and Chemical Toxicology*


Received Date: 29 March 2017


Revised Date: 26 April 2017

Accepted Date: 28 April 2017

Please cite this article as: Joray, Mariana.Belé., Villafañez, F., González, Marí.Laura., Crespo, Marí.Iné., Laiolo, Jeró., Palacios, Sara.Marí., Bocco, José.Luis., Soria, Gastó., Carpinella, Marí.Cecilia., P53 tumor suppressor is required for efficient execution of the death program following treatment with a cytotoxic limonoid obtained from *Melia azedarach*, *Food and Chemical Toxicology* (2017), doi: 10.1016/j.fct.2017.04.039.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.





Download English Version:

<https://daneshyari.com/en/article/8548844>

Download Persian Version:

<https://daneshyari.com/article/8548844>

[Daneshyari.com](https://daneshyari.com)