


Accepted Manuscript

Title: Reduced Regional Volumes Associated with Total Psychopathy Scores in an Adult Population with Childhood Lead Exposure

Authors: Travis J. Beckwith, Kim N. Dietrich, John P. Wright, Mekibib Altaye, Kim M. Cecil



PII: S0161-813X(18)30105-0
DOI: <https://doi.org/10.1016/j.neuro.2018.04.004>
Reference: NEUTOX 2321

To appear in: *NEUTOX*

Received date: 2-8-2017
Revised date: 3-4-2018
Accepted date: 4-4-2018

Please cite this article as: Beckwith TJ, Dietrich KN, Wright JP, Altaye M, Cecil KM, Reduced Regional Volumes Associated with Total Psychopathy Scores in an Adult Population with Childhood Lead Exposure, *Neurotoxicology* (2010), <https://doi.org/10.1016/j.neuro.2018.04.004>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Reduced Regional Volumes Associated with Total Psychopathy Scores in an Adult Population with Childhood Lead Exposure

Travis J. Beckwith¹, Kim N. Dietrich², John P. Wright³, Mekibib Altaye⁴, Kim M. Cecil^{1, 2, 5}

¹ Imaging Research Center, Cincinnati Children's Hospital Medical Center, Cincinnati, OH

² Department of Environmental Health, Division of Epidemiology and Biostatistics, University of Cincinnati College of Medicine, Cincinnati, OH

³ School of Criminal Justice, University of Cincinnati, Cincinnati, OH

⁴ Division of Biostatistics and Epidemiology, Cincinnati Children's Hospital Medical Center Department of Pediatrics, University of Cincinnati College of Medicine, Cincinnati, OH

⁵ Department of Radiology, Department of Pediatrics, Cincinnati Children's Hospital Medical Center, University of Cincinnati College of Medicine, Cincinnati, OH

*Corresponding Author: Travis J. Beckwith, Imaging Research Center, Cincinnati Children's Hospital Medical Center, 3333 Burnet Avenue, ML 5033, Cincinnati OH 45229

Telephone: (513) 803-9115

Email: Travis.Beckwith@cchmc.org

HIGHLIGHTS

- Regional brain volume loss associated with measures of Psychopathy
- Brain volume loss associated with Psychopathy appears primarily in males
- Association between brain volume loss, Psychopathy, and lead exposure in males

Download English Version:

<https://daneshyari.com/en/article/8550061>

Download Persian Version:

<https://daneshyari.com/article/8550061>

[Daneshyari.com](https://daneshyari.com)