Title: A human induced pluripotent stem cell-based *in vitro* assay predicts developmental toxicity through a retinoic acid receptor-mediated pathway for a series of related retinoid analogues

Authors: Jessica A. Palmer, Alan M. Smith, Laura A. Egnash, Michael R. Colwell, Elizabeth L.R. Donley, Fred R. Kirchner, Robert E. Burrier

PII: S0890-6238(17)30132-6
DOI: http://dx.doi.org/doi:10.1016/j.reprotox.2017.07.011
Reference: RTX 7543

To appear in: *Reproductive Toxicology*

Received date: 9-3-2017
Revised date: 11-7-2017

Please cite this article as: Palmer Jessica A, Smith Alan M, Egnash Laura A, Colwell Michael R, Donley Elizabeth LR, Kirchner Fred R, Burrier Robert E.A human induced pluripotent stem cell-based in vitro assay predicts developmental toxicity through a retinoic acid receptor-mediated pathway for a series of related retinoid analogues.*Reproductive Toxicology* http://dx.doi.org/10.1016/j.reprotox.2017.07.011

A human induced pluripotent stem cell-based *in vitro* assay predicts developmental toxicity through a retinoic acid receptor-mediated pathway for a series of related retinoid analogues.

Jessica A. Palmer[a,*], Alan M. Smith[a], Laura A. Egnash[a,1], Michael R. Colwell[a], Elizabeth L.R. Donley[a], Fred R. Kirchner[a], Robert E. Burrier[a]

[a]Stemina Biomarker Discovery, Inc., 504 S. Rosa Rd., Madison, WI 53719 USA

[1]Present Address: Covance Laboratories, 3301 Kinsman, Madison, WI 53704 USA

Author Email Addresses:

JAP: jpalmer@stemina.com

AMS: asmith@stemina.com

LAE: laura.egnash@covance.com

MRC: mcolwell@stemina.com

ELRD: bdonley@stemina.com

FRK: fkirchner@stemina.com

REB: bburrier@stemina.com

[*]**Corresponding Author:** Jessica A. Palmer

Stemina Biomarker Discovery, Inc.

504 S. Rosa Rd., Suite 150

Madison, WI 53719

Phone: (608) 204-0104

Fax: (608) 204-0107

E-mail: jpalmer@stemina.com

Graphical Abstract