Title: PKA/CREB and NF-κB Pathway Regulates AKNA Transcription: A Novel Insight into T-2 Toxin-Induced Inflammation and GH Deficiency in GH3 Cells

Authors: Xianglian Liu, Deyu Huang, Pu Guo, Qinghua Wu, Menghong Dai, Guyue Cheng, Haihong Hao, Shuyu Xie, Zonghui Yuan, Xu Wang

PII: S0300-483X(17)30319-0
DOI: https://doi.org/10.1016/j.tox.2017.10.013
Reference: TOX 51964

To appear in: *Toxicology*

Received date: 21-8-2017
Revised date: 14-10-2017
Accepted date: 22-10-2017

Please cite this article as: Liu, Xianglian, Huang, Deyu, Guo, Pu, Wu, Qinghua, Dai, Menghong, Cheng, Guyue, Hao, Haihong, Xie, Shuyu, Yuan, Zonghui, Wang, Xu, PKA/CREB and NF-κB Pathway Regulates AKNA Transcription: A Novel Insight into T-2 Toxin-Induced Inflammation and GH Deficiency in GH3 Cells.Toxicology https://doi.org/10.1016/j.tox.2017.10.013

PKA/CREB and NF-κB Pathway Regulates AKNA Transcription: A Novel Insight into T-2 Toxin-Induced Inflammation and GH Deficiency in GH3 Cells

Xianglian Liu[a], Deyu Huang[b], Pu Guo [b], Qinghua Wu[d,e], Menghong Dai[c], Guyue Cheng[c], Haihong Hao[c], Shuyu Xie[c], Zonghui Yuan[a,b,c], Xu Wang[a,*]

[a]National Reference Laboratory of Veterinary Drug Residues (HZAU) and MAO Key Laboratory for Detection of Veterinary Drug Residues, Huazhong Agricultural University, Wuhan, China

[b]MOA Laboratory for Risk Assessment of Quality and Safety of Livestock and Poultry Products, Wuhan, China

[c]Hubei Collaborative Innovation Center for Animal Nutrition and Feed Safety, Wuhan, China

[d]College of Life Science, Yangtze University, Jingzhou, China

[e]Department of Chemistry, Faculty of Science, University of Hradec Kralove, Hradec Kralove, Czech Republic.

[1]Corresponding author:

Prof. Dr. Xu Wang

Address: Huazhong Agricultural University, Wuhan, Hubei 430070, China.

Tel: +86-27-87287186, Fax: +86-27-87672232, E-mail: wangxu@mail.hzau.edu.cn