

## Accepted Manuscript

Title: Fluoride potentiates tubulointerstitial nephropathy caused by unilateral ureteral obstruction

Authors: Takamasa Kido, Masashi Tsunoda, Chiemi Sugaya, Hiroshi Hano, Hiroyuki Yanagisawa



PII: S0300-483X(17)30306-2  
DOI: <https://doi.org/10.1016/j.tox.2017.10.003>  
Reference: TOX 51954

To appear in: *Toxicology*

Received date: 1-9-2017  
Revised date: 5-10-2017  
Accepted date: 5-10-2017

Please cite this article as: Kido, Takamasa, Tsunoda, Masashi, Sugaya, Chiemi, Hano, Hiroshi, Yanagisawa, Hiroyuki, Fluoride potentiates tubulointerstitial nephropathy caused by unilateral ureteral obstruction. *Toxicology* <https://doi.org/10.1016/j.tox.2017.10.003>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Fluoride potentiates tubulointerstitial nephropathy caused by unilateral ureteral obstruction

Takamasa Kido<sup>a</sup>, Masashi Tsunoda<sup>b</sup>, Chiemi Sugaya<sup>b</sup>, Hiroshi Hano<sup>c</sup>, Hiroyuki Yanagisawa<sup>a</sup>

<sup>a</sup> Department of Public Health and Environmental Medicine, Jikei University School of Medicine, Shinbashi, Tokyo, Japan

<sup>b</sup> Department of Preventive Medicine and Public Health, National Defense Medical College, Tokorozawa, Saitama, Japan

<sup>c</sup> Department of Pathology, Jikei University School of Medicine, Shinbashi, Tokyo, Japan

Correspondence to: Hiroyuki Yanagisawa, M.D., Ph.D.

Department of Public Health and Environmental Medicine, Faculty of Medicine, The Jikei University School of Medicine, 3-25-8 Nishishimbashi, Minato-ku, Tokyo 105-8461, Japan

TEL: 81-3-3433-1111 Ext. 2270; FAX: 81-3-3431-6029

E-mail: hryanagisawa@jikei.ac.jp

Abstract

The contamination of ground water by fluoride has been reported worldwide. Most fluoride (approximately 70%) is filtered by the kidneys; humans or experimental

Download English Version:

<https://daneshyari.com/en/article/8552984>

Download Persian Version:

<https://daneshyari.com/article/8552984>

[Daneshyari.com](https://daneshyari.com)