Title: Exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin promotes inflammation in mouse testes: the critical role of Klotho in Sertoli cells

Authors: MeiHua Jin, Jing Lo, HuiHui Yu, Miao Miao, Guangchuan Wang, Hao Ai, Yu Huang, Sangwon Han, Donghe Han, Guang Yu

PII: S0378-4274(18)30240-6
DOI: https://doi.org/10.1016/j.toxlet.2018.06.001
Reference: TOXLET 10225

To appear in: *Toxicology Letters*

Received date: 31-1-2018
Revised date: 2-6-2018
Accepted date: 5-6-2018

Please cite this article as: Jin M, Lo J, Yu H, Miao M, Wang G, Ai H, Huang Y, Han S, Han D, Yu G, Exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin promotes inflammation in mouse testes: the critical role of Klotho in Sertoli cells, *Toxicology Letters* (2018), https://doi.org/10.1016/j.toxlet.2018.06.001

Exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin promotes inflammation in mouse testes: the critical role of Klotho in Sertoli cells

MeiHua Jin[1,2#], Jing Lou,[1#] HuiHui Yu[1], Miao Miao[1], Guangchuan Wang[1], Hao Ai[2], Yu Huang[1], Sangwon Han[3], Donghe Han[4*], Guang Yu[1 *]

1 Department of Immunology, Jinzhou Medical University, Jinzhou, Liaoning, China

2 Key Laboratory of Follicular Development and Reproductive Health of Liaoning, Jinzhou, Liaoning, China

3 Department of Urology and Urological Science Institute, Yonsei University College of Medicine, Seoul, Korea

4 Department of Neurobiology, Jinzhou Medical University, Jinzhou, Liaoning, China

*Corresponding authors:

Donghe Han, MD, PhD, Department of Neurobiology, Jinzhou Medical University, Jinzhou, Liaoning, China. E-mail: handonghe@foxmail.com

Guang Yu, MD, PhD, Department of Immunology, Jinzhou Medical University, Jinzhou, Liaoning, China. E-mail: ly65401@sina.com

#Both authors contributed equally to this work.

Highlights

- The maternal exposure to TCDD increases testis susceptibility to infection.
- TCDD inhibits expression of Klotho and PDLIM2.