Title: Mice deficient in aldo-keto reductase 1a (Akr1a) are resistant to thioacetamide-induced liver injury

Authors: Takujiro Homma, Takaya Shirato, Ryusuke Akihara, Sho Kobayashi, Jaeyong Lee, Ken-ichi Yamada, Satoshi Miyata, Motoko Takahashi, Junichi Fujii

PII: S0378-4274(18)30198-X
DOI: https://doi.org/10.1016/j.toxlet.2018.05.015
Reference: TOXLET 10198

To appear in: *Toxicology Letters*

Received date: 22-1-2018
Revised date: 1-5-2018
Accepted date: 11-5-2018

Please cite this article as: Homma T, Shirato T, Akihara R, Kobayashi S, Lee J, Yamada K-ichi, Miyata S, Takahashi M, Fujii J, Mice deficient in aldo-keto reductase 1a (Akr1a) are resistant to thioacetamide-induced liver injury, *Toxicology Letters* (2010), https://doi.org/10.1016/j.toxlet.2018.05.015

Mice deficient in aldo-keto reductase 1a (Akr1a) are resistant to thioacetamide-induced liver injury

Takujiro Homma[1,*], Takaya Shirato[1], Ryusuke Akihara[1], Sho Kobayashi[1], Jaeyong Lee[1], Ken-ichi Yamada[2,3], Satoshi Miyata[4], Motoko Takahashi[5], Junichi Fujii[1]

[1] Department of Biochemistry and Molecular Biology, Graduate School of Medical Science, Yamagata University, Yamagata, Japan

[2] Department of Bio-functional Science, Faculty of Pharmacological Science, Kyushu University, Fukuoka, Japan

[3] AMED-CREST, Japan Agency for Medical Research and Development, Tokyo, Japan

[4] Miyata Diabetes and Metabolism Clinic, Osaka, Japan

[5] Department of Biochemistry, Sapporo Medical University School of Medicine, Sapporo, Japan

*_Correspondence to_: Takujiro Homma, E-mail: tkhomma@med.id.yamagata-u.ac.jp

Tel. +81-23-628-5227; Fax +81-23-628-5230