Title: Sulfur mustard induced mast cell degranulation in mouse skin is inhibited by a novel anti-inflammatory and anticholinergic bifunctional prodrug

Authors: Laurie B. Joseph, Gabriella M. Composto, Roberto M. Perez, Hong-Duck Kim, Robert P. Casillas, Ned D. Heindel, Sherri C. Young, Carl J. Lacey, Jaya Saxena, Christophe D. Guillon, Claire R. Croutch, Jeffrey D. Laskin, Diane E. Heck

PII: S0378-4274(17)31453-4
DOI: https://doi.org/10.1016/j.toxlet.2017.11.005
Reference: TOXLET 9996

To appear in: *Toxicology Letters*

Received date: 26-9-2017
Revised date: 1-11-2017
Accepted date: 6-11-2017

Please cite this article as: Joseph, Laurie B., Composto, Gabriella M., Perez, Roberto M., Kim, Hong-Duck, Casillas, Robert P., Heindel, Ned D., Young, Sherri C., Lacey, Carl J., Saxena, Jaya, Guillon, Christophe D., Croutch, Claire R., Laskin, Jeffrey D., Heck, Diane E., Sulfur mustard induced mast cell degranulation in mouse skin is inhibited by a novel anti-inflammatory and anticholinergic bifunctional prodrug.Toxicology Letters https://doi.org/10.1016/j.toxlet.2017.11.005

Sulfur mustard induced mast cell degranulation in mouse skin is inhibited by a novel anti-inflammatory and anticholinergic bifunctional prodrug

Laurie B. Joseph[1], Gabriella M. Composto[1], Roberto M. Perez[1], Hong-Duck Kim[2], Robert P. Casillas[3], Ned D. Heindel[4], Sherri C. Young[4], Carl J. Lacey[4], Jaya Saxena[4], Christophe D. Guillon[4], Claire R. Croutch[3], Jeffrey D. Laskin[1], Diane E. Heck[2]

[1]Rutgers University, Piscataway, NJ, [2]New York Medical College, Valhalla, NY, [3]MRIGlobal, Kansas City, MO, [4]Lehigh University, Bethlehem, PA