

Accepted Manuscript

Title: The efficacy of HI-6 DMS in a sustained infusion against percutaneous VX poisoning in the guinea-pig

Authors: C. Whitmore, A.R. Cook, T. Mann, M.E. Price, E. Emery, N. Roughley, D. Flint, S. Stubbs, S.J. Armstrong, H. Rice, J.E.H. Tattersall



PII: S0378-4274(17)31455-8
DOI: <https://doi.org/10.1016/j.toxlet.2017.11.007>
Reference: TOXLET 9998

To appear in: *Toxicology Letters*

Received date: 13-9-2017
Revised date: 2-11-2017
Accepted date: 6-11-2017

Please cite this article as: Whitmore, C., Cook, A.R., Mann, T., Price, M.E., Emery, E., Roughley, N., Flint, D., Stubbs, S., Armstrong, S.J., Rice, H., Tattersall, J.E.H., The efficacy of HI-6 DMS in a sustained infusion against percutaneous VX poisoning in the guinea-pig. *Toxicology Letters* <https://doi.org/10.1016/j.toxlet.2017.11.007>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**The efficacy of HI-6 DMS in a sustained infusion against percutaneous VX poisoning
in the guinea-pig**

Whitmore, C*, Cook, A.R., Mann, T., Price, M.E., Emery, E., Roughley N., Flint, D., Stubbs, S., Armstrong S.J., Rice, H., Tattersall J.E.H.

CBR (Chemical, Biological, Radiological), Dstl Porton Down, Salisbury, Wiltshire, United Kingdom, SP4 0JQ

* corresponding author

email: clwhitmore@dstl.gov.uk

Postal address: Building 4, CBR Division, Dstl Porton Down, Salisbury, Wiltshire, SP4 0JQ

Crown Copyright © [2017] Published by Elsevier Ireland Ltd. This is an open access article under the Open Government Licence (OGL) (<http://www.nationalarchives.gov.uk/doc/open-government-licence/version/3/>).

Highlights

- Percutaneous VX poisoning can be treated with an intravenous infusion of HI-6 DMS, in combination with atropine.

Download English Version:

<https://daneshyari.com/en/article/8553230>

Download Persian Version:

<https://daneshyari.com/article/8553230>

[Daneshyari.com](https://daneshyari.com)