Title: Kaempferol protects against propacetamol-induced acute liver injury through CYP2E1 inactivation, UGT1A1 activation, and attenuation of oxidative stress, inflammation and apoptosis in mice

Authors: Ming-Shiun Tsai, Ying-Han Wang, Yan-Yun Lai, Hsi-Kai Tsou, Gan-Guang Liou, Jiunn-Liang Ko, Sue-Hong Wang

PII: S0378-4274(18)30111-5
DOI: https://doi.org/10.1016/j.toxlet.2018.03.024
Reference: TOXLET 10139

To appear in: *Toxicology Letters*

Received date: 6-12-2017
Revised date: 5-3-2018
Accepted date: 19-3-2018

Please cite this article as: Tsai, Ming-Shiun, Wang, Ying-Han, Lai, Yan-Yun, Tsou, Hsi-Kai, Liou, Gan-Guang, Ko, Jiunn-Liang, Wang, Sue-Hong, Kaempferol protects against propacetamol-induced acute liver injury through CYP2E1 inactivation, UGT1A1 activation, and attenuation of oxidative stress, inflammation and apoptosis in mice.Toxicology Letters https://doi.org/10.1016/j.toxlet.2018.03.024

Kaempferol protects against propacetamol-induced acute liver injury through CYP2E1 inactivation, UGT1A1 activation, and attenuation of oxidative stress, inflammation and apoptosis in mice

Ming-Shiun Tsai[a,1], Ying-Han Wang[b,1], Yan-Yun Lai[b], Hsi-Kai Tsou[c], Gan-Guang Liou[d], Jiunn-Liang Ko[e], Sue-Hong Wang[b,f,*]

[a]Department of BioIndustry Technology, Da-Yeh University, Taiwan, Republic of China.

[b]Department of Biomedical Sciences, Chung Shan Medical University, Taiwan, Republic of China.

[c]Functional Neurosurgery Division, Neurological Institute, Taichung Veterans General Hospital, Taichung, Taiwan, Republic of China.

[d]Institute of Molecular Biology, Academia Sinica, Taipei, Taiwan, Republic of China.

[e]Institute of Medicine, Chung Shan Medical University, Taiwan, Republic of China.

[f]Department of Medical Research, Chung Shan Medical University Hospital, Taiwan, Republic of China.