
Accepted Manuscript

Anticancer potential of benzothiazolic derivative (E)-2-((2-(benzo[d]thiazol-2-yl)hydrazono)methyl)-4-nitrophenol against melanoma cells

Zanair Soares Vasconcelos, Ana Carolina Lima Ralph, Danielle Queiroz Calcagno, Gleyce dos Santos Barbosa, Tatiana do Nascimento Pedrosa, Lucas Pio Antony, Marília de Arruda Cardoso Smith, Eliza de Lucas Chazin, Thatyana Rocha Alves Vasconcelos, Raquel Carvalho Montenegro, Marne Carvalho de Vasconcellos



PII: S0887-2333(18)30067-5 DOI: doi:10.1016/j.tiv.2018.03.001

Reference: TIV 4245

To appear in: Toxicology in Vitro

Received date: 27 September 2017
Revised date: 22 February 2018
Accepted date: 1 March 2018

Please cite this article as: Zanair Soares Vasconcelos, Ana Carolina Lima Ralph, Danielle Queiroz Calcagno, Gleyce dos Santos Barbosa, Tatiana do Nascimento Pedrosa, Lucas Pio Antony, Marília de Arruda Cardoso Smith, Eliza de Lucas Chazin, Thatyana Rocha Alves Vasconcelos, Raquel Carvalho Montenegro, Marne Carvalho de Vasconcellos , Anticancer potential of benzothiazolic derivative (E)-2-((2-(benzo[d]thiazol-2-yl)hydrazono)methyl)-4-nitrophenol against melanoma cells. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Tiv(2017), doi:10.1016/j.tiv.2018.03.001

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Anticancer potential of benzothiazolic derivative (E)-2-((2-(benzo[d]thiazol-2-yl)hydrazono)methyl)-4-nitrophenol against melanoma cells

Zanair Soares Vasconcelos¹, Ana Carolina Lima Ralph¹, Danielle Queiroz Calcagno², Gleyce dos Santos Barbosa¹, Tatiana do Nascimento Pedrosa¹, Lucas Pio Antony¹, Marília de Arruda Cardoso Smith³, Eliza de Lucas Chazin⁴, Thatyana Rocha Alves Vasconcelos⁴, Raquel Carvalho Montenegro⁵, Marne Carvalho de Vasconcellos¹*

*Corresponding author at:

Marne Carvalho de Vasconcellos

Faculdade de Ciências Farmacêuticas, Universidade Federal do Amazonas, Av. General Rodrigo Octávio 6200, Coroado I, CEP: 69077-000, Manaus-Amazonas, Brazil.

Phone: +55 (092) 3305-1181 Ramal 2007

E-mail: marne@ufam.edu.br

¹ Faculty of Pharmaceutical Sciences, Federal University of Amazon, Amazon – Brazil.

² Center on Oncology Research, Federal University of Pará, Pará – Brazil

³ Department of Morphology and Genetics, Paulista School of Medicine, Federal University of São Paulo, São Paulo – Brazil.

⁴ Chemistry Institute, Fluminense Federal University, Rio de Janeiro – Brazil.

⁵ Biological Science Institute, Federal University of Ceará, Ceará–Brazil

Download English Version:

https://daneshyari.com/en/article/8553873

Download Persian Version:

https://daneshyari.com/article/8553873

<u>Daneshyari.com</u>