## Accepted Manuscript

Generalized concentration addition accurately predicts estrogenic potentials of mixtures and environmental samples containing partial agonists Toxicology in Vitro

Water Strategy and Comments of the Commen

Markus Brinkmann, Markus Hecker, John P. Giesy, Paul D. Jones, Hans Toni Ratte, Henner Hollert, Thomas G. Preuss

PII: S0887-2333(17)30319-3

DOI: doi:10.1016/j.tiv.2017.10.022

Reference: TIV 4153

To appear in: Toxicology in Vitro

Received date: 8 June 2017

Revised date: 16 October 2017 Accepted date: 20 October 2017

Please cite this article as: Markus Brinkmann, Markus Hecker, John P. Giesy, Paul D. Jones, Hans Toni Ratte, Henner Hollert, Thomas G. Preuss, Generalized concentration addition accurately predicts estrogenic potentials of mixtures and environmental samples containing partial agonists. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Tiv(2017), doi:10.1016/j.tiv.2017.10.022

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Generalized concentration addition accurately predicts estrogenic

potentials of mixtures and environmental samples containing partial

agonists

Markus Brinkmann<sup>1,2</sup> (⋈) • Markus Hecker<sup>1</sup> • John P. Giesy<sup>3,4,5</sup> • Paul D. Jones<sup>1</sup> • Hans

Toni Ratte<sup>2</sup> • Henner Hollert<sup>2,6,7,8</sup> • Thomas G. Preuss<sup>2,9</sup>

<sup>1</sup>School of Environment & Sustainability and Toxicology Centre, University of

Saskatchewan, 44 Campus Drive, Saskatoon SK, S7N 5B3 Canada

<sup>2</sup>Institute for Environmental Research, RWTH Aachen University, Worringerweg 1, 52074

Aachen, Germany

<sup>3</sup>Department of Veterinary Biomedical Sciences and Toxicology Centre, University of

Saskatchewan, 44 Campus Drive, SK S7N 5B3 Saskatoon, Canada

<sup>4</sup>Department of Zoology and Center for Integrative Toxicology, Michigan State University,

East Lansing, MI, USA

<sup>5</sup>School of Biological Sciences, University of Hong Kong, Kowloon, Hong Kong, SAR,

China

<sup>6</sup>College of Resources and Environmental Science, Chongqing University, 1 Tiansheng Road

Beibei, Chongqing 400715, China

<sup>7</sup>College of Environmental Science and Engineering and State Key Laboratory of Pollution

Control and Resource Reuse, Tongji University, 1239 Siping Road, Shanghai, China

<sup>8</sup>State Key Laboratory of Pollution Control and Resource Reuse, School of the Environment,

Nanjing University, China

<sup>9</sup>Present address: Bayer CropScience, Monheim, Germany

(☑) Corresponding author: Markus Brinkmann, PhD

Phone: +1 (306) 966 1204

E-mail: markus.brinkmann@usask.ca

1

## Download English Version:

## https://daneshyari.com/en/article/8554180

Download Persian Version:

https://daneshyari.com/article/8554180

<u>Daneshyari.com</u>