

Accepted Manuscript

Aquatic myofascial release applied after high intensity exercise increases flexibility and decreases pain

Viviane Ramos Costa Lêdo, Ana Paula Xavier, MSc., Cesar Augustus Zocoler de Souza, MSc, Susi Mary de Souza Fernandes, MSc, Étria Rodrigues, Érico Chagas Caperuto, PhD.

PII: S1360-8592(17)30113-4

DOI: [10.1016/j.jbmt.2017.05.013](https://doi.org/10.1016/j.jbmt.2017.05.013)

Reference: YJBMT 1536

To appear in: *Journal of Bodywork & Movement Therapies*



Please cite this article as: Costa Lêdo, V.R., Xavier, A.P., de Souza, C.A.Z., Fernandes, S.M.d.S., Rodrigues, É., Caperuto, É.C., Aquatic myofascial release applied after high intensity exercise increases flexibility and decreases pain, *Journal of Bodywork & Movement Therapies* (2017), doi: 10.1016/j.jbmt.2017.05.013.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Aquatic Myofascial Release applied after high intensity exercise increases flexibility and decreases pain.

Viviane Ramos Costa Lêdo¹; Ana Paula Xavier¹ MSc.; Cesar Augustus Zocoler de Souza² MSc; Susi Mary de Souza Fernandes¹ MSc; Étria Rodrigues¹ Érico Chagas Caperuto^{1,2} * PhD.

1 – Mackenzie Presbyterian University

2 – São Judas Tadeu University

*** Corresponding author: Érico Chagas Caperuto**

Institutional Address: 546, Taquari st. – Applied Metabolism of Exercise Study Group, São Paulo, Brazil.

Download English Version:

<https://daneshyari.com/en/article/8559315>

Download Persian Version:

<https://daneshyari.com/article/8559315>

[Daneshyari.com](https://daneshyari.com)