Title: A BICENTRIC CONTROLLED STUDY ON THE EFFECTS OF AQUATIC AI CHI IN PARKINSON DISEASE

Author: Sagrario Pérez-de la Cruz

PII: S0965-2299(17)30432-6
DOI: https://doi.org/10.1016/j.ctim.2017.12.001
Reference: YCTIM 1781

To appear in: *Complementary Therapies in Medicine*

Received date: 27-6-2017
Revised date: 1-12-2017
Accepted date: 1-12-2017

Please cite this article as: Pérez-de la Cruz Sagrario.A BICENTRIC CONTROLLED STUDY ON THE EFFECTS OF AQUATIC AI CHI IN PARKINSON DISEASE.*Complementary Therapies in Medicine* https://doi.org/10.1016/j.ctim.2017.12.001

A BICENTRIC CONTROLLED STUDY ON THE EFFECTS OF AQUATIC AI CHI IN PARKINSON DISEASE

Sagrario Pérez-de la Cruz1

1 Department of Nursing, Physiotherapy and Medicine, University of Almería, Spain.

Correspondence to:

Sagrario Pérez- de la Cruz, PhD

(Pérez- de la Cruz S)

Department of Nursing, Physiotherapy and Medicine, University of Almería.

Crta del Sacramento s/n, La Cañada de San Urbano, Almería. 04250 (Spain).

Email: spd205@ual.es<mailto:spd205@ual.es>

Telephone: (+ 34) 950 214574.

ABSTRACT

Objectives:

Various exercise strategies have been suggested to address movement deficits in order to improve motor function and quality of life for individuals in the early or moderate