

Accepted Manuscript

Problem analysis and solutions of the B-ultrasound-guided peripherally inserted central catheter process

Zu-Yan Fan, Tian-Tian Wang, Yun Xiao, Yang-En Zhang, Dong-Hao Wu, Zhi-Huan Lin, Dan-Chun Wu, Jin-Xiang Lin



PII: S2095-7718(16)30084-6

DOI: [10.1016/j.cnre.2016.10.001](https://doi.org/10.1016/j.cnre.2016.10.001)

Reference: CNR 65

To appear in: *Chinese Nursing Research*

Received Date: 4 April 2016

Revised Date: 3 June 2016

Accepted Date: 13 July 2016

Please cite this article as: Fan ZY, Wang TT, Xiao Y, Zhang YE, Wu DH, Lin ZH, Wu DC, Lin JX, Problem analysis and solutions of the B-ultrasound-guided peripherally inserted central catheter process, *Chinese Nursing Research* (2016), doi: 10.1016/j.cnre.2016.10.001.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

*Corresponding author.

E-mail address: 13247389981@163.com (J. -X. Lin).

Peer review under the responsibility of Shanxi Medical Periodical Press.

DOI:

© 2016 Shanxi Medical Periodical Press. **Publishing services** by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Cited information: Fan ZY, Wang TT, Xiao Y, et al. Problem Analysis and Solutions of the B-ultrasound-guided peripherally inserted central catheter process. Chin Nurs Res. 2016; 3: xx-xx.

Original article

Problem analysis and solutions of the B-ultrasound-guided peripherally inserted central catheter process

Zu-Yan Fan, Tian-Tian Wang, Yun Xiao, Yang-En Zhang, Dong-Hao Wu, Zhi-Huan Lin, Dan-Chun Wu, Jin-Xiang Lin*

Department of Medical Oncology, the Third Affiliated Hospital of Sun Yat-sen University, Guangzhou, Guangdong 510630, China

ARTICLE INFO

Article history:

Received 4 April 2016

Received in revised form 3 June 2016

Accepted 13 July 2016

Published 20 September 2016

Keywords:

B-ultrasound

PICC

Seldinger approach

Problems

Analysis

Nurse

ABSTRACT

Objective: The purpose of this study was to address the issues that occur during the B-ultrasound guided peripherally inserted central catheter (PICC) process and to give a summary of the effective management to these issues accordingly.

Methods: The information was collected retrospectively on all of the 1950 PICCs inserted during the 2-year period from July 2013 to July 2015. PICC catheter insertion was performed using the Seldinger approach and was delivered from the basilic vein to the superior vena cava in a B-ultrasound guided manner. Moreover, the point raised during the PICC process would be treated immediately.

Results: All of the PICCs were inserted successfully. The problems encountered are

Download English Version:

<https://daneshyari.com/en/article/8568216>

Download Persian Version:

<https://daneshyari.com/article/8568216>

[Daneshyari.com](https://daneshyari.com)