

Accepted Manuscript

Assessment of hydration status using bioelectrical impedance vector analysis in critical patients with acute kidney injury

Ana Cláudia da Rosa Hise, Maria Cristina Gonzalez



PII: S0261-5614(17)30066-3

DOI: [10.1016/j.clnu.2017.02.016](https://doi.org/10.1016/j.clnu.2017.02.016)

Reference: YCLNU 3064

To appear in: *Clinical Nutrition*

Received Date: 20 October 2016

Revised Date: 12 February 2017

Accepted Date: 14 February 2017

Please cite this article as: Hise ACdR, Gonzalez MC, Assessment of hydration status using bioelectrical impedance vector analysis in critical patients with acute kidney injury, *Clinical Nutrition* (2017), doi: 10.1016/j.clnu.2017.02.016.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19

Assessment of hydration status using bioelectrical impedance vector analysis in critical patients with acute kidney injury

Ana Cláudia da Rosa Hise¹ (corresponding author – achise70@gmail.com)

Maria Cristina Gonzalez¹ (cristinagbs@hotmail.com)

¹Post-graduation Program in Health and Behavior – Catholic University of Pelotas, RS, Brazil.

R. Gonçalves Chaves 377, sala 411. Pelotas, RS, Brazil. CEP 960515-560

Download English Version:

<https://daneshyari.com/en/article/8586915>

Download Persian Version:

<https://daneshyari.com/article/8586915>

[Daneshyari.com](https://daneshyari.com)