

Accepted Manuscript

Role of high resolution optical coherence tomography in diagnosing ocular surface squamous neoplasia with coexisting ocular surface diseases

Marwan Atallah, MD, Madhura Joag, MD, Anat Galor, MD, MSPH, Guillermo Amescua, MD, Afshan Nanji, MD, MPH, Jianhua Wang, MD, PhD, Victor L. Perez, MD, Sander Dubovy, MD, Carol L. Karp, MD

PII: S1542-0124(16)30198-7

DOI: [10.1016/j.jtos.2017.03.003](https://doi.org/10.1016/j.jtos.2017.03.003)

Reference: JTOS 224

To appear in: *Ocular Surface*

Received Date: 6 October 2016

Revised Date: 13 March 2017

Accepted Date: 13 March 2017

Please cite this article as: Atallah M, Joag M, Galor A, Amescua G, Nanji A, Wang J, Perez VL, Dubovy S, Karp CL, Role of high resolution optical coherence tomography in diagnosing ocular surface squamous neoplasia with coexisting ocular surface diseases, *Ocular Surface* (2017), doi: 10.1016/j.jtos.2017.03.003.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

SECTION: Innovative Techniques and Technology, Gary N. Foulks, MD, Editor

TITLE: Role of High Resolution Optical Coherence Tomography in Diagnosing Ocular Surface Squamous Neoplasia with Coexisting Ocular Surface Diseases

Authors: Marwan Atallah, MD¹, Madhura Joag, MD¹, Anat Galor, MD, MSPH¹, Guillermo Amescua, MD¹, Afshan Nanji, MD, MPH¹, Jianhua Wang, MD, PhD¹, Victor L. Perez, MD¹, Sander Dubovy¹, MD, Carol L. Karp, MD¹

Short title: OCT in OSSN with coexisting pathology/ Atallah et al

FOOTNOTES

Accepted for publication January 2017.

Affiliations: ¹Bascom Palmer Eye Institute, University of Miami Miller School of Medicine, Miami, FL, USA.

Corresponding Author: Carol L. Karp, MD, Professor of Ophthalmology, Bascom Palmer Eye Institute, University of Miami Miller School of Medicine, 900 NW 17th Street, Miami, FL, 33126, USA. Phone: (305) 326-6156. E-mail : ckarp@med.miami.edu

Supported by the NIH Center Core Grant P30EY014801, RPB Unrestricted Award and Career Development Awards, Department of Defense (DOD- Grant#W81XWH-09-1-0675), Department of Veterans Affairs, Veterans Health Administration, Office of Research and Development, Clinical Sciences Research EPID-006-15S (Dr. Galor), The Ronald and Alicia Lepke Grant, The Lee and Claire Hager Grant, The Jimmy and Gaye Bryan Grant, The Azar Family Grant, The Robert Baer Family Grant, The Gordon Charitable Foundation, The H. Scott Huizenga Grant, The Grant and Diana Stanton-Thornbrough Grant, The Mark Feldberg Family Grant, and supported in part by an unrestricted grant from Research to Prevent Blindness (all institutional grants).

The authors have no proprietary or commercial interest in any materials or concepts discussed in this article.

Download English Version:

<https://daneshyari.com/en/article/8591234>

Download Persian Version:

<https://daneshyari.com/article/8591234>

[Daneshyari.com](https://daneshyari.com)