

Bacteriological profile of ocular surface flora in meibomian gland dysfunction

Shao Dan Zhang, Jing Na He, Tong Tong Niu, Chiu Yeung Chan, Chun Yang Ren,
Shan Shan Liu, Yang Qu, Kam Lung Chong, Hai Lin Wang, Jun Tao, Chi Pui Pang

PII: S1542-0124(16)30182-3

DOI: [10.1016/j.jtos.2016.12.003](https://doi.org/10.1016/j.jtos.2016.12.003)

Reference: JTOS 213

To appear in: *Ocular Surface*

Received Date: 26 September 2016

Revised Date: 30 December 2016

Accepted Date: 31 December 2016

Please cite this article as: Zhang SD, He JN, Niu TT, Chan CY, Ren CY, Liu SS, Qu Y, Chong KL, Wang HL, Tao J, Pang CP, Bacteriological profile of ocular surface flora in meibomian gland dysfunction, *Ocular Surface* (2017), doi: 10.1016/j.jtos.2016.12.003.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

SECTION: Original Research, Ali Djalilian, MD, Editor

Bacteriological Profile of Ocular Surface Flora in Meibomian Gland Dysfunction

Shao Dan Zhang, PhD,¹ Jing Na He, MS,¹ Tong Tong Niu, MD,¹ Chiu Yeung Chan, PhD,² Chun Yang Ren, MS,³ Shan Shan Liu,¹ Yang Qu, PhD,¹ Kam Lung Chong, FCOphth,⁴ Hai Lin Wang, MD,^{1†} Jun Tao, MS,^{1†} Chi Pui Pang, PhD⁴

Short title: Bacterial Flora in Meibomian Gland Dysfunction/Zhang et al

FOOTNOTES

Accepted for publication December 2016.

From ¹Department of Ophthalmology, The Fourth People's Hospital of Shenyang; Shenyang Eye Research Institute; Key Laboratory of Ophthalmology of Shenyang, China; ²Department of Microbiology, The Chinese University of Hong Kong, Hong Kong; ³Department of Clinical Laboratory, The Fourth People's Hospital of Shenyang, China; ⁴Department of Ophthalmology and Visual Sciences, The Chinese University of Hong Kong, Hong Kong.

Funding: This work was supported by Shenyang Key lab construction program (F15-160-1-00) and 2014 Shenyang Key specialty construction project.

Conflicts of Interest: None.

Single-copy reprint requests to: Hai Lin Wang, MD (address below).

Corresponding authors:

Hai Lin Wang, MD, No.20 Huanghenan Street, Huanggu District, Shenyang, Liaoning Province, 110031, China. Tel: (86) 024-86208353, Fax: (86) 024-86861329. E-mail address: wanghailin_syeri@126.com

AND

Jun Tao, MS, No.20 Huanghenan Street, Huanggu District, Shenyang, Liaoning Province, 110031, China. Tel: (86) 024-86208634, Fax: (86) 024-86861329. E-mail address: Tj107698@163.com

ABSTRACT

Purpose: To compare the bacteriological profile of meibomian gland secretion and conjunctival cul-de-sac in subjects with and without meibomian gland dysfunction (MGD).

Download English Version:

<https://daneshyari.com/en/article/8591313>

Download Persian Version:

<https://daneshyari.com/article/8591313>

[Daneshyari.com](https://daneshyari.com)