


Accepted Manuscript

The effect of a cricket fielding session on glenohumeral range of motion and active joint position sense

Liam Newton, Steve McCaig



PII: S1466-853X(17)30132-3

DOI: [10.1016/j.ptsp.2018.04.002](https://doi.org/10.1016/j.ptsp.2018.04.002)

Reference: YPTSP 871

To appear in: *Physical Therapy in Sport*

Received Date: 5 April 2017

Revised Date: 8 March 2018

Accepted Date: 3 April 2018

Please cite this article as: Newton, L., McCaig, S., The effect of a cricket fielding session on glenohumeral range of motion and active joint position sense, *Physical Therapy in Sports* (2018), doi: 10.1016/j.ptsp.2018.04.002.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**THE EFFECT OF A CRICKET FIELDING SESSION ON GLENOHUMERAL
RANGE OF MOTION AND ACTIVE JOINT POSITION SENSE.**

Acknowledgements: The authors would like to thank the participants for taking part in the study as well as Mr Callum Brown for blinding the data prior to analysis.

Download English Version:

<https://daneshyari.com/en/article/8596419>

Download Persian Version:

<https://daneshyari.com/article/8596419>

[Daneshyari.com](https://daneshyari.com)