Accepted Manuscript

Are two-dimensional measured frontal plane angles related to three-dimensional measured kinematic profiles during running?

Bart Dingenen, Filip F. Staes, Lieselot Santermans, Lien Steurs, Maarten Eerdekens, Jurre Geentjens, Koen H.E. Peers, Maarten Thysen, Kevin Deschamps

PII: S1466-853X(17)30091-3

DOI: 10.1016/j.ptsp.2017.02.001

Reference: YPTSP 803

To appear in: Physical Therapy in Sport

Received Date: 28 June 2016

Revised Date: 8 February 2017

Accepted Date: 28 February 2017

Please cite this article as: Dingenen, B., Staes, F.F., Santermans, L., Steurs, L., Eerdekens, M., Geentjens, J., Peers, K.H.E., Thysen, M., Deschamps, K., Are two-dimensional measured frontal plane angles related to three-dimensional measured kinematic profiles during running?, *Physical Therapy in Sports* (2017), doi: 10.1016/j.ptsp.2017.02.001.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Are two-dimensional measured frontal plane angles related to three-dimensional measured kinematic profiles during running?

Bart Dingenen^a (corresponding author), Filip F. Staes^b, Lieselot Santermans^c, Lien Steurs^d,
Maarten Eerdekens^e, Jurre Geentjens^f, Koen H.E. Peers^g, Maarten Thysen^h, Kevin
Deschampsⁱ

- ^a KU Leuven Musculoskeletal Rehabilitation Research Group, Department of Rehabilitation Sciences, Faculty of Kinesiology and Rehabilitation Sciences, Belgium. Tervuursevest 101 b1501, 3001 Heverlee, Belgium. Tel: +32 16 37 65 34. E-mail: bart.dingenen@kuleuven.be, bartdingenen@hotmail.com
- ^b KU Leuven Musculoskeletal Rehabilitation Research Group, Department of Rehabilitation Sciences, Faculty of Kinesiology and Rehabilitation Sciences, Belgium. Tervuursevest 101 b1501, 3001 Heverlee, Belgium. E-mail: filip.staes@kuleuven.be
- ^c KU Leuven Musculoskeletal Rehabilitation Research Group, Department of Rehabilitation Sciences, Faculty of Kinesiology and Rehabilitation Sciences, Belgium. Tervuursevest 101 b1501, 3001 Heverlee, Belgium. E-mail: lieselot.santermans@gmail.com
- ^d KU Leuven Musculoskeletal Rehabilitation Research Group, Department of Rehabilitation Sciences, Faculty of Kinesiology and Rehabilitation Sciences, Belgium. Tervuursevest 101 b1501, 3001 Heverlee, Belgium. E-mail: liensteurs@gmail.com
- ^e KU Leuven Musculoskeletal Rehabilitation Research Group, Department of Rehabilitation Sciences, Faculty of Kinesiology and Rehabilitation Sciences, Belgium. Tervuursevest 101 b1501, 3001 Heverlee, Belgium. E-mail: maarten_eerdekens@hotmail.com
- ^f KU Leuven Musculoskeletal Rehabilitation Research Group, Department of Rehabilitation Sciences, Faculty of Kinesiology and Rehabilitation Sciences, Belgium. Tervuursevest 101 b1501, 3001 Heverlee, Belgium. E-mail: jurregeentjens@hotmail.com
- ^g Physical Medicine and Rehabilitation, University Hospitals Leuven, Campus Pellenberg, Weligerveld 1, 3212 Pellenberg, Belgium. E-mail: koen.peers@uzleuven.be
- ^h Physical Medicine and Rehabilitation, University Hospitals Leuven, Campus Pellenberg, Weligerveld 1, 3212 Pellenberg, Belgium. E-mail: maarten.thysen@gritsportsclinic.be
- ⁱ KU Leuven Musculoskeletal Rehabilitation Research Group, Department of Rehabilitation Sciences, Faculty of Kinesiology and Rehabilitation Sciences, Belgium. Tervuursevest 101 b1501, 3001 Heverlee, Belgium. E-mail: kevin.deschamps@kuleuven.be

Acknowledgements:

Download English Version:

https://daneshyari.com/en/article/8596621

Download Persian Version:

https://daneshyari.com/article/8596621

<u>Daneshyari.com</u>