

Accepted Manuscript

Title: A Randomized Controlled Trial of Budesonide Versus Acetazolamide for the Prevention of Acute Mountain Sickness

Author: Grant S Lipman, David Pomeranz, Patrick Burns, Caleb Phillips, Mary Cheffers, Kristina Evans, Carrie Jurkiewicz, Nick Juul, Peter Hackett

PII: S0002-9343(17)30614-9
DOI: <http://dx.doi.org/doi: 10.1016/j.amjmed.2017.05.034>
Reference: AJM 14139

To appear in: *The American Journal of Medicine*



Please cite this article as: Grant S Lipman, David Pomeranz, Patrick Burns, Caleb Phillips, Mary Cheffers, Kristina Evans, Carrie Jurkiewicz, Nick Juul, Peter Hackett, A Randomized Controlled Trial of Budesonide Versus Acetazolamide for the Prevention of Acute Mountain Sickness, *The American Journal of Medicine* (2017), <http://dx.doi.org/doi: 10.1016/j.amjmed.2017.05.034>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A Randomized Controlled Trial of Budesonide versus Acetazolamide for the Prevention of Acute Mountain Sickness

Grant S Lipman MD¹, David Pomeranz MD¹, Patrick Burns MD¹, Caleb Phillips PhD³, Mary Cheffers MD⁴, Kristina Evans MD⁵, Carrie Jurkiewicz MD⁶; Nick Juul MD²; Peter Hackett MD⁷.

¹Department of Emergency Medicine, Stanford University School of Medicine; ³Department of Computational Science, University of Colorado; ⁴Emergency Medicine Residency L.A. County - University Southern California; ⁵Stanford-Kaiser Emergency Medicine Residency; ⁶Emergency Medicine Residency, University of Chicago School of Medicine; ²Division of Pulmonary & Critical Care Medicine, Stanford University School of Medicine; ⁷Department of Emergency Medicine, University of Colorado; Institute for Altitude Medicine.

Corresponding author: Grant S Lipman MD, Department of Emergency Medicine, Stanford University School of Medicine, 900 Welch Road, Suite 350, Palo Alto, CA. 94034. grantlip@hotmail.com, (415) 290-9286.

Funding: This study was supported by the Wilderness Medical Society's Herbert N. Hultgren Grant, Institute for Altitude Medicine Igor Gamow Grant, and the American Alpine Club's Research Grant.

Conflict of interest: There are no potential conflicts of interest for any of the authors and all authors have signed the ICMJE COI form.

Authorship: All authors had access to the data and participated in writing the manuscript.

Article type: Clinical research study.

Key words: high altitude, acute mountain sickness, budesonide, acetazolamide, prevention

Running head: Acetazolamide versus budesonide for prevention of acute mountain sickness

Abstract: 226

Words: 2749

Tables: 4

Figures: 4

Clinical significance:

- Inhaled budesonide was found to be ineffective for the prevention of acute mountain sickness.
- Day of ascent dosing of acetazolamide offered robust protection against severe acute mountain sickness.

Download English Version:

<https://daneshyari.com/en/article/8604035>

Download Persian Version:

<https://daneshyari.com/article/8604035>

[Daneshyari.com](https://daneshyari.com)