


Accepted Manuscript

A new pupillary measure to assess pain: a prospective study

David J. Charier, M.D, Daniel Zantour, M.D, Vincent Pichot, Ph.D, Florian Chouchou, Ph.D, Jean-Claude M. Barthelemy, M.D, Ph.D, Frederic Roche, M.D, Ph.D, Serge B. Molliex, M.D, Ph.D



PII: S1526-5900(17)30629-6

DOI: [10.1016/j.jpain.2017.06.006](https://doi.org/10.1016/j.jpain.2017.06.006)

Reference: YJPAI 3436

To appear in: *Journal of Pain*

Received Date: 22 March 2017

Revised Date: 21 June 2017

Accepted Date: 24 June 2017

Please cite this article as: Charier DJ, Zantour D, Pichot V, Chouchou F, Barthelemy J-CM, Roche F, Molliex SB, A new pupillary measure to assess pain: a prospective study, *Journal of Pain* (2017), doi: 10.1016/j.jpain.2017.06.006.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title

A new pupillary measure to assess pain: a prospective study

Short running Title

Assessing pain with the variation coefficient of pupillary diameter

Authors

David J. Charier, M.D, Département d'Anesthésie-Réanimation, CHU Nord, Saint-Etienne, France; EA 4607 SNA-EPIS, Université Jean Monnet, Saint-Etienne, France

Daniel Zantour, M.D, Département d'Anesthésie-Réanimation, CHU Nord, Saint-Etienne, France

Vincent Pichot, Ph.D, Service de Physiologie Clinique et de l'Exercice, CHU Nord, Saint-Etienne, France; EA 4607 SNA-EPIS, Université Jean Monnet, Saint-Etienne, France

Florian Chouchou, Ph.D, Unité NeuroPain, Centre de Recherche en Neurosciences, INSERM U1028/CNRS UMR 52, Université de Lyon, France

Jean-Claude M. Barthelemy, M.D, Ph.D, Service de Physiologie Clinique et de l'Exercice, CHU Nord, Saint-Etienne, France; EA 4607 SNA-EPIS, Université Jean Monnet, Saint-Etienne, France

Frederic Roche, M.D, Ph.D, Service de Physiologie Clinique et de l'Exercice, CHU Nord, Saint-Etienne, France; EA 4607 SNA-EPIS, Université Jean Monnet, Saint-Etienne, France

Serge B. Molliex, M.D, Ph.D, Département d'Anesthésie-Réanimation, CHU Nord, Saint-Etienne, France; EA 4607 SNA-EPIS, Université Jean Monnet, Saint-Etienne, France

Corresponding author

David Charier, M.D, Département d'Anesthésie-Réanimation, Service de Neurochirurgie-neuroréanimation, Hôpital Nord, CHU, 42055 Saint-Etienne cedex 2, France
+ 33 477828565
david.charier@chu-st-etienne.fr

Disclosure of funding

The *Centre Hospitalo-Universitaire de Saint-Etienne* assumed the biomedical research proponent's third-party liability insurance contract

Conflicts of interest

The authors declare no competing interests.

Download English Version:

<https://daneshyari.com/en/article/8605357>

Download Persian Version:

<https://daneshyari.com/article/8605357>

[Daneshyari.com](https://daneshyari.com)