

Palliative sedation in terminal cancer patients admitted to hospice or home care programs: does the setting matter? Results from a national multicenter observational study.

Augusto Caraceni, MD, Raffaella Speranza, MD, Elio Spoldi, MD, Cristina Sonia Ambroset, PsyD, Stefano Canestrari, PhD, Mauro Marinari, MD, Anna Maria Marzi, RN, Luciano Orsi, MD, Laura Piva, MD, Mirta Rocchi, RN, Danila Valenti, MD, Gianluigi Zeppetella, MD, Furio Zucco, MD, Alessandra Raimondi, MD, Leonor Vasconcelos Matos, MD, Cinzia Brunelli, PhD

PII: S0885-3924(18)30133-7

DOI: [10.1016/j.jpainsymman.2018.03.008](https://doi.org/10.1016/j.jpainsymman.2018.03.008)

Reference: JPS 9746

To appear in: *Journal of Pain and Symptom Management*

Received Date: 19 January 2018

Revised Date: 5 March 2018

Accepted Date: 6 March 2018

Please cite this article as: Caraceni A, Speranza R, Spoldi E, Ambroset CS, Canestrari S, Marinari M, Marzi AM, Orsi L, Piva L, Rocchi M, Valenti D, Zeppetella G, Zucco F, Raimondi A, Matos LV, Brunelli C, on behalf of the Italian Society of Palliative Care Study Group on Palliative Sedation in Adult Cancer Patients, Palliative sedation in terminal cancer patients admitted to hospice or home care programs: does the setting matter? Results from a national multicenter observational study., *Journal of Pain and Symptom Management* (2018), doi: 10.1016/j.jpainsymman.2018.03.008.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Palliative sedation in terminal cancer patients admitted to hospice or home care programs: does the setting matter? Results from a national multicenter observational study.

Augusto Caraceni¹ MD, Raffaella Speranza² MD, Elio Spoldi³ MD, Cristina Sonia Ambroset⁴ PsyD, Stefano Canestrari⁵ PhD, Mauro Marinari⁶ MD, Anna Maria Marzi⁷ RN, Luciano Orsi⁸ MD, Laura Piva⁹ MD, Mirta Rocchi⁷ RN, Danila Valenti¹⁰ MD, Gianluigi Zeppetella¹¹ MD, Furio Zucco¹² MD, Alessandra Raimondi¹ MD, Leonor Vasconcelos Matos¹³ MD and Cinzia Brunelli^{1,14} PhD on behalf of the Italian Society of Palliative Care Study Group on Palliative Sedation in Adult Cancer Patients.

Dr. Augusto Caraceni, Raffaella Speranza and Elio Spoldi are equally first author of the present paper

1. Palliative Care, Pain Therapy and Rehabilitation Unit, Fondazione IRCCS Istituto Nazionale dei Tumori, Milano, Italy.
2. Italian Society of Palliative Care, Milan, Italy
3. AO Cremona Hospital, Hospice and Palliative Care Unit, Cremona, Italy
4. Associazione VIDAS, Psychology Unit, Milan, Italy
5. Alma Mater Studiorum University of Bologna, Department of Legal Studies, Bologna, Italy
6. Hospice “il Nespolo”, Airuno (LC), Italy
7. Hospice “Casa Madonna dell’Uliveto”, Albinea (RE), Italy
8. AO Ospedale Maggiore Crema, Palliative Care Unit, Crema, Italy
9. AO San Paolo Hospital, Palliative Care Unit, Milan, Italy
10. AUSL Bologna, Palliative Care Network, Bologna, Italy

Download English Version:

<https://daneshyari.com/en/article/8605440>

Download Persian Version:

<https://daneshyari.com/article/8605440>

[Daneshyari.com](https://daneshyari.com)