

# Accepted Manuscript

## Validation of the Edmonton Symptom Assessment System: Ascites Modification.

Masanori Mori, MD, Tatsuya Morita, MD, Naosuke Yokomichi, MD, Akihiro Nitto, MA, Naoko Takahashi, MD, Shingo Miyamoto, MD, Hiroyuki Nishie, MD, Junji Matsuoka, MD, PhD, Hiroki Sakurai, MD, Tatsuhiko Ishihara, MD, Yoko Tarumi, MD, Asao Ogawa, MD, PhD



PII: S0885-3924(18)30176-3

DOI: [10.1016/j.jpainsymman.2018.03.016](https://doi.org/10.1016/j.jpainsymman.2018.03.016)

Reference: JPS 9754

To appear in: *Journal of Pain and Symptom Management*

Received Date: 1 February 2018

Revised Date: 14 March 2018

Accepted Date: 14 March 2018

Please cite this article as: Mori M, Morita T, Yokomichi N, Nitto A, Takahashi N, Miyamoto S, Nishie H, Matsuoka J, Sakurai H, Ishihara T, Tarumi Y, Ogawa A, Validation of the Edmonton Symptom Assessment System: Ascites Modification., *Journal of Pain and Symptom Management* (2018), doi: 10.1016/j.jpainsymman.2018.03.016.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Validation of the Edmonton Symptom Assessment System: Ascites Modification.**

Masanori Mori, MD<sup>1</sup>, Tatsuya Morita, MD<sup>2</sup>, Naosuke Yokomichi, MD<sup>3</sup>, Akihiro Nitto, MA<sup>4</sup>, Naoko Takahashi, MD<sup>5</sup>, Shingo Miyamoto, MD<sup>6</sup>, Hiroyuki Nishie, MD<sup>7</sup>, Junji Matsuoka, MD, PhD<sup>8</sup>, Hiroki Sakurai, MD<sup>9</sup>, Tatsuhiko Ishihara, MD<sup>10</sup>, Yoko Tarumi, MD<sup>11</sup>, Asao Ogawa, MD, PhD<sup>12</sup>

<sup>1</sup> Palliative Care Team, Seirei Mikatahara General Hospital, Hamamatsu, Japan

<sup>2</sup> Division of Palliative and Supportive Care, Seirei Mikatahara General Hospital, Hamamatsu, Japan

<sup>3</sup> Seirei Hospice, Seirei Mikatahara General Hospital, Hamamatsu, Japan

<sup>4</sup> Psycho-Oncology Division, National Cancer Center Hospital East, Kashiwa, Japan

<sup>5</sup> Department of Palliative Care, Japan Red Cross Medical Center, Tokyo, Japan

<sup>6</sup> Department of Oncology, Japan Red Cross Medical Center, Tokyo, Japan

<sup>7</sup> Department of Anesthesiology and Intensive Care Medicine 2, Kawasaki Medical School, Kurashiki, Japan

<sup>8</sup> Department of Palliative Care, Okayama University Hospital, Okayama, Japan

<sup>9</sup> Department of Palliative Care, The Cancer Institute Hospital of Japanese Foundation for Cancer Research, Tokyo, Japan

<sup>10</sup> Department of Palliative Care, Okayama Saiseikai General Hospital, Okayama, Japan

<sup>11</sup> Division of Palliative Care Medicine, Department of Oncology, University of Alberta, Edmonton, Alberta, Canada

<sup>12</sup> Division of Psycho-Oncology, Exploratory Oncology Research and Clinical Trial Center, National Cancer Center, Kashiwa, Japan

**Corresponding author:**

Asao Ogawa, MD, PhD

Division of Psycho-Oncology, Exploratory Oncology Research and Clinical Trial Center, National Cancer Center, Kashiwa, Japan

Address: 6-5-1, Kashiwanoha, Kashiwa, Chiba 277-8577, Japan

Tel.: +81-4-7134-7013, FAX: +81-4-7134-7026

E-mail: [asogawa@east.ncc.go.jp](mailto:asogawa@east.ncc.go.jp)

**Word count:** 3 tables; 1 figure; 24 references; 2,605 words

Download English Version:

<https://daneshyari.com/en/article/8605494>

Download Persian Version:

<https://daneshyari.com/article/8605494>

[Daneshyari.com](https://daneshyari.com)