



**Comparison of indicators for achievement of pain control with a personalized  
pain goal in a comprehensive cancer center**

Yuki Sumazaki Watanabe, MD <sup>a</sup>, Tomofumi Miura, MD, PhD <sup>a,b</sup>, Ayumi Okizaki, PhD <sup>a</sup>,  
Keita Tagami, MD, PhD <sup>a,c</sup>, Yoshihisa Matsumoto, MD, PhD <sup>a</sup>, Maiko Fujimori, PhD <sup>d</sup>,  
Tatsuya Morita, MD <sup>e</sup>, Hiroya Kinoshita, MD <sup>a,f</sup>

**Author Affiliations:**

Yuki Sumazaki Watanabe, MD

Ayumi Okizaki, PhD

Yoshihisa Matsumoto, MD, PhD

Department of Palliative Medicine, National Cancer Center Hospital East, Kashiwa,

Japan

Tomofumi Miura, MD, PhD

Department of Palliative Medicine, National Cancer Center Hospital East, Kashiwa,

Japan

Division of Biomarker Discovery, Exploratory Oncology Research and Clinical Trial

Center, National Cancer Center Hospital East, Kashiwa, Japan

Download English Version:

<https://daneshyari.com/en/article/8605580>

Download Persian Version:

<https://daneshyari.com/article/8605580>

[Daneshyari.com](https://daneshyari.com)