Accepted Manuscript

Factors Associated with Attrition in a Multicenter Longitudinal Observational Study of Patients with Advanced Cancer

Pedro E. Perez-Cruz, MD MPH, Omar Shamieh, MD, Carlos Eduardo Paiva, Jung Hye Kwon, Mary Ann Muckaden, Eduardo Bruera, MD, David Hui, MSc MD

PII: \$0885-3924(17)30640-1

DOI: 10.1016/j.jpainsymman.2017.11.009

Reference: JPS 9637

To appear in: Journal of Pain and Symptom Management

Received Date: 19 July 2017

Revised Date: 6 November 2017 Accepted Date: 7 November 2017

Please cite this article as: Perez-Cruz PE, Shamieh O, Paiva CE, Kwon JH, Muckaden MA, Bruera E, Hui D, Factors Associated with Attrition in a Multicenter Longitudinal Observational Study of Patients with Advanced Cancer, *Journal of Pain and Symptom Management* (2017), doi: 10.1016/j.jpainsymman.2017.11.009.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Factors Associated with Attrition in a Multicenter Longitudinal Observational Study of Patients with Advanced Cancer

Pedro E. Perez-Cruz MD MPH¹, Omar Shamieh MD², Carlos Eduardo Paiva³, Jung Hye Kwon⁴, Mary Ann Muckaden⁵, Eduardo Bruera MD⁶, David Hui MSc MD⁶

Corresponding author:

David Hui, MD, MSc

Department of Palliative Care & Rehabilitation Medicine Unit 1414

University of Texas M.D. Anderson Cancer Center 1515 Holcombe Boulevard, Houston, TX, USA 77030

Phone: 713-792-6258 Fax: 713-792-6092

E-mail: dhui@mdanderson.org

Conflict of interest disclosures: The authors made no disclosures.

Manuscript category: Original article Word count: Abstract 247 / Article 2931

Number of tables: 3 Number of figures: 2 Number of references: 31 Number of appendixes: 0

Funding sources: Pedro Perez-Cruz is supported in part by funds awarded by the National Commission for Scientific and Technological Research, Santiago Chile (FONDECYT INICIO 11130533; REDES1440024). DH is supported in part by National Institutes of Health Grants (1R01CA214960-01A1, R21NR016736), an American Cancer Society Mentored Research Scholar Grant in Applied and Clinical Research (MRSG-14-1418-01-CCE) and the Andrew Sabin Family Fellowship Award.

Running title: Factors associated with attrition in a longitudinal palliative oncology study

¹Pontificia Universidad Católica de Chile, Department of Internal Medicine, Santiago, Chile;

²King Hussein Cancer Center, Amman, Jordan;

³Barretos Cancer Hospital, Barretos, Brazil;

⁴Kangdong Sacred Heart Hospital, Hallym University College of Medicine, Department of Internal Medicine, Seoul, Republic of Korea;

⁵TATA Memorial Hospital, Mumbai, India;

⁶MD Anderson Cancer Center, Palliative Care and Rehabilitation Medicine, Houston, TX, United States

Download English Version:

https://daneshyari.com/en/article/8605660

Download Persian Version:

https://daneshyari.com/article/8605660

<u>Daneshyari.com</u>