

# Accepted Manuscript

Which physicians' behaviors on death pronouncement affect family-perceived physician compassion? A randomized, scripted, video-vignette study

Masanori Mori, MD, Maiko Fujimori, PhD, Jun Hamano, MD, PhD, Akemi Shirado Naito, MD, Tatsuya Morita, MD



PII: S0885-3924(17)30435-9

DOI: [10.1016/j.jpainsymman.2017.08.029](https://doi.org/10.1016/j.jpainsymman.2017.08.029)

Reference: JPS 9572

To appear in: *Journal of Pain and Symptom Management*

Received Date: 12 July 2017

Revised Date: 22 August 2017

Accepted Date: 22 August 2017

Please cite this article as: Mori M, Fujimori M, Hamano J, Naito AS, Morita T, Which physicians' behaviors on death pronouncement affect family-perceived physician compassion? A randomized, scripted, video-vignette study, *Journal of Pain and Symptom Management* (2017), doi: 10.1016/j.jpainsymman.2017.08.029.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## **Which physicians' behaviors on death pronouncement affect family-perceived physician compassion? A randomized, scripted, video-vignette study**

Masanori Mori, MD<sup>1</sup>, Maiko Fujimori, PhD<sup>2,3</sup>, Jun Hamano, MD, PhD<sup>4</sup>, Akemi Shirado Naito, MD<sup>5</sup>, Tatsuya Morita, MD<sup>6</sup>

<sup>1</sup> Palliative Care Team, Seirei Mikatahara General Hospital, 3453 Mikatahara-cho, Kita-ku, Hamamatsu, Shizuoka 433-8558, Japan

Attending Physician

<sup>2</sup> Office for Promotion of Support for Suicide Survivor, National Institute of Mental Health, National Center for Neurology & Psychiatry, Ogawa-higashi 4-1-1, Kodaira, Tokyo 187-8551, Japan

<sup>3</sup> Division of Health Care Research, Center for Public Health Sciences, National Cancer Center, 5-1-1, Tsukiji, Chuo-ku, Tokyo, 104-0045, Japan

<sup>4</sup> Division of Clinical Medicine, Faculty of Medicine, University of Tsukuba, 1-1-1 Tennoudai, Tsukuba, Ibaraki 305-8575, Japan

Assistant Professor

<sup>5</sup> Seirei Hospice, Seirei Mikatahara General Hospital, 3453 Mikatahara-cho, Kita-ku, Hamamatsu, Shizuoka 433-8558, Japan

Attending Physician

<sup>6</sup> Division of Palliative and Supportive Care, Seirei Mikatahara General Hospital, 3453 Mikatahara-cho, Kita-ku, Hamamatsu, Shizuoka 433-8558, Japan

Chief and Vice President

### **Corresponding author:**

Masanori Mori

Palliative Care Team, Seirei Mikatahara General Hospital

3453 Mikatahara-cho, Kita-ku, Hamamatsu, Shizuoka 433-8558, Japan

Tel.: +81-53-436-1251, Fax: +81-53-438-2971

[masanori.mori@sis.seirei.or.jp](mailto:masanori.mori@sis.seirei.or.jp)

**Word count:** 3 tables; 1 figure; 2 appendices; 22 references; 3,439 words.

Download English Version:

<https://daneshyari.com/en/article/8605697>

Download Persian Version:

<https://daneshyari.com/article/8605697>

[Daneshyari.com](https://daneshyari.com)