Accepted Manuscript

Drugs for treating opioid-induced constipation: A mixed treatment comparison network meta-analysis of randomized controlled clinical trials

Kannan Sridharan, Associate Professor in Pharmacology, Gowri Sivaramakrishnan, Assistant Professor in Prosthodontics

PII: S0885-3924(17)30428-1

DOI: 10.1016/j.jpainsymman.2017.08.022

Reference: JPS 9565

To appear in: Journal of Pain and Symptom Management

Received Date: 17 June 2017
Revised Date: 21 August 2017
Accepted Date: 22 August 2017

Please cite this article as: Sridharan K, Sivaramakrishnan G, Drugs for treating opioid-induced constipation: A mixed treatment comparison network meta-analysis of randomized controlled clinical trials, *Journal of Pain and Symptom Management* (2017), doi: 10.1016/j.jpainsymman.2017.08.022.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Drugs for treating opioid-induced constipation: A mixed treatment comparison network

meta-analysis of randomized controlled clinical trials

Kannan Sridharan¹, Gowri Sivaramakrishnan²

¹Associate Professor in Pharmacology, School of Health Sciences and ²Assistant Professor in

Prosthodontics, School of Oral Health, College of Medicine, Nursing and Health Sciences, Fiji

National University, Suva, Fiji.

Corresponding author:

Dr. Kannan Sridharan

Associate Professor in Pharmacology

School of Health Sciences

College of Medicine, Nursing and Health Sciences

Fiji National University

Suva, Fiji.

Email id: skannandr@gmail.com

Total number of figures/tables: Figures - 07; Tables – 03.

Acknowledgments:

We thank PROSPERO for registering the review protocol. We are also grateful to Cochrane for

utilizing RevMan 5.3 software for generating the risk of bias. We are grateful to EpiGear for

using MetaXL in generating mixed treatment comparison results for secondary outcomes and

Page **1** of **38**

Download English Version:

https://daneshyari.com/en/article/8605785

Download Persian Version:

https://daneshyari.com/article/8605785

<u>Daneshyari.com</u>