Accepted Manuscript

Haemodynamic coherence in perioperative setting

Andrea Carsetti, Ximena Watson, Maurizio Cecconi


PII: \$1521-6896(16)30068-4

DOI: 10.1016/j.bpa.2016.10.007

Reference: YBEAN 917

To appear in: Best Practice & Research Clinical Anaesthesiology

Received Date: 12 October 2016
Revised Date: 21 October 2016
Accepted Date: 27 October 2016



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Haemodynamic coherence in perioperative setting.

Andrea Carsetti ¹ , Ximena Watson ² , Maurizio Cecconi ^{2,3}
¹ Anaesthesia and Intensive Care Unit, ASUR Marche – Area Vasta n. 4, Italy.
² Kingston Hospital. Intensive Care. Galsworthy Road. Kingston, Surrey
³ Intensive Care Unit, George's University of London, London, UK.
Corresponding author:
Ximena Watson
Kingston Hospital
Intensive Care Unit
Galsworthy Road
Kingston
E-mail: ugm2xw@doctors.org.uk
Keywords:
Haemodynamic monitoring, goal directed therapy, haemodynamic optimisation, perioperative
Acknowledgements: None
This research did not receive any specific grant from funding agencies in the public, commercial, or not-for profit sectors.

Download English Version:

https://daneshyari.com/en/article/8610948

Download Persian Version:

https://daneshyari.com/article/8610948

<u>Daneshyari.com</u>