

# Accepted Manuscript

Clinicopathological features and immune microenvironment of non-small cell lung cancer with primary resistance to epidermal growth factor receptor-tyrosine kinase inhibitors

Ykuta Takashima, Jun Sakakibara-Konishi, Yutaka Hatanaka, Kanako C. Hatanaka, Yoshihito Ohhara, Satoshi Oizumi, Yasuhiro Hida, Kichizo Kaga, Ichiro Kinoshita, Hirotohi Dosaka-Akita, Yoshihiro Matsuno, Masaharu Nishimura

PII: S1525-7304(18)30023-8

DOI: [10.1016/j.clcc.2018.02.004](https://doi.org/10.1016/j.clcc.2018.02.004)

Reference: CLLC 747

To appear in: *Clinical Lung Cancer*


Received Date: 15 November 2017

Revised Date: 2 February 2018

Accepted Date: 12 February 2018

Please cite this article as: Takashima Y, Sakakibara-Konishi J, Hatanaka Y, Hatanaka KC, Ohhara Y, Oizumi S, Hida Y, Kaga K, Kinoshita I, Dosaka-Akita H, Matsuno Y, Nishimura M, Clinicopathological features and immune microenvironment of non-small cell lung cancer with primary resistance to epidermal growth factor receptor-tyrosine kinase inhibitors, *Clinical Lung Cancer* (2018), doi: 10.1016/j.clcc.2018.02.004.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Clinicopathological features and immune microenvironment of non-small cell lung cancer with primary resistance to epidermal growth factor receptor-tyrosine kinase inhibitors**

Yuta Takashima<sup>a</sup>, Jun Sakakibara-Konishi<sup>a</sup>, Yutaka Hatanaka<sup>b</sup>, Kanako C. Hatanaka<sup>b</sup>, Yoshihito Ohhara<sup>c</sup>, Satoshi Oizumi<sup>d</sup>, Yasuhiro Hida<sup>e</sup>, Kichizo Kaga<sup>e</sup>, Ichiro Kinoshita<sup>c</sup>, Hirotoshi Dosaka-Akita<sup>c</sup>, Yoshihiro Matsuno<sup>b</sup>, Masaharu Nishimura<sup>a</sup>

<sup>a</sup>First Department of Medicine, Hokkaido University Hospital, Sapporo, Japan

<sup>b</sup>Department of Surgical Pathology, Hokkaido University Hospital, Sapporo, Japan

<sup>c</sup>Department of Medical Oncology, Hokkaido University Graduate School of Medicine, Sapporo, Japan

<sup>d</sup>Department of Respiratory Medicine, National Hospital Organization Hokkaido Cancer Center, Sapporo, Japan

<sup>e</sup>Department of Cardiovascular and Thoracic Surgery, Hokkaido University Graduate School of Medicine, Sapporo, Japan

Correspondence and request for reprints should be addressed to:

Jun Sakakibara-Konishi, MD, PhD; First Department of Medicine, Hokkaido University Hospital,

Download English Version:

<https://daneshyari.com/en/article/8614354>

Download Persian Version:

<https://daneshyari.com/article/8614354>

[Daneshyari.com](https://daneshyari.com)