

Accepted Manuscript



Correspondence

The combination of corticosteroid and tocolytic therapy in a preeclamptic patient is a risk factor for the development of acute pulmonary oedema

K. Nijs, K. Nulens, M. Van de Velde, B. Stessel

PII: S0959-289X(17)30495-8

DOI: <https://doi.org/10.1016/j.ijoa.2017.12.009>

Reference: YIJOA 2639

To appear in: *International Journal of Obstetric Anesthesia*

Accepted Date: 22 December 2017

Please cite this article as: Nijs, K., Nulens, K., Van de Velde, M., Stessel, B., The combination of corticosteroid and tocolytic therapy in a preeclamptic patient is a risk factor for the development of acute pulmonary oedema, *International Journal of Obstetric Anesthesia* (2017), doi: <https://doi.org/10.1016/j.ijoa.2017.12.009>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Corresponding author:

K. Nijs

Dep. of Anesthesiology and Pain Medicine

Jessa Hospital – Hasselt, Virga-Jesse Campus

Stadsomvaart 11

3500 Hasselt, Belgium

Phone +32 11289111

Fax +32 11274590

kristof.nijs@hotmail.com

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/8617391>

Download Persian Version:

<https://daneshyari.com/article/8617391>

[Daneshyari.com](https://daneshyari.com)