

Author's Accepted Manuscript

Factors Related to the Severity of Early Postoperative Infection after Heart Transplantation in Patients Surviving Prolonged Mechanical Support Periods: Experience at a Single University

Ryuichiro Abe, Sho C. Shibata, Shunsuke Saito, Yasumasa Tsukamoto, Koichi Toda, Akinori Uchiyama, Yasushi Sakata, Yoshiki Sawa, Kazunori Tomono, Yuji Fujino



PII: S1053-0770(17)30649-3
DOI: <http://dx.doi.org/10.1053/j.jvca.2017.07.004>
Reference: YJCAN4235

To appear in: *Journal of Cardiothoracic and Vascular Anesthesia*

Cite this article as: Ryuichiro Abe, Sho C. Shibata, Shunsuke Saito, Yasumasa Tsukamoto, Koichi Toda, Akinori Uchiyama, Yasushi Sakata, Yoshiki Sawa, Kazunori Tomono and Yuji Fujino, Factors Related to the Severity of Early Postoperative Infection after Heart Transplantation in Patients Surviving Prolonged Mechanical Support Periods: Experience at a Single University, *Journal of Cardiothoracic and Vascular Anesthesia*, <http://dx.doi.org/10.1053/j.jvca.2017.07.004>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Factors related to the severity of early postoperative infection after heart transplantation in patients surviving prolonged mechanical support periods: Experience at a single university

Ryuichiro Abe, MD,¹ Sho C. Shibata, MD, PhD,^{1*} Shunsuke Saito, MD, PhD,² Yasumasa Tsukamoto, MD, PhD,³ Koichi Toda, MD, PhD,² Akinori Uchiyama, MD, PhD,¹ Yasushi Sakata, MD, PhD,³ Yoshiki Sawa, MD, PhD,² Kazunori Tomono, MD, PhD,⁴ and Yuji Fujino, MD, PhD¹

¹Department of Anesthesiology and Intensive Care Medicine, Osaka University Graduate School of Medicine, Yamadaoka, Suita, Osaka 5650871, Japan

²Department of Cardiovascular Surgery, Osaka University Graduate School of Medicine, 2-2 Yamadaoka, Suita, Osaka 5650871, Japan

³Department of Cardiovascular Medicine, Osaka Graduate School of Medicine, 2-2 Yamadaoka, Suita, Osaka 5650871, Japan

⁴Division of Infection Control and Prevention, Osaka University Hospital, 2-2 Yamadaoka, Suita, Osaka 5650871, Japan

***Corresponding Author:** Sho C. Shibata, MD, PhD

Department of Anesthesiology and Intensive Care Medicine, Osaka University Graduate School of Medicine, Yamadaoka, Suita, Osaka 5650871, Japan

Business telephone: +81 6 6879 3133

Fax number: +81 6 6879 3139

Email: scshibata@anes.med.osaka-u.ac.jp

ACKNOWLEDGMENTS

None.

ABSTRACT

Objective

We examined the impact of prolonged support with continuous-flow ventricular assist devices (CF-VADs) and other related factors on the severity of infections within 30 days of heart transplantation

Download English Version:

<https://daneshyari.com/en/article/8618671>

Download Persian Version:

<https://daneshyari.com/article/8618671>

[Daneshyari.com](https://daneshyari.com)