

Accepted Manuscript

Propafenone for supraventricular arrhythmias in septic shock—Comparison to amiodarone and metoprolol

Johad Khoury, Zaher S. Azzam

PII: S0883-9441(17)31890-7

DOI: <https://doi.org/10.1016/j.jcrc.2018.01.009>

Reference: YJCRC 52837

To appear in:

Please cite this article as: Johad Khoury, Zaher S. Azzam , Propafenone for supraventricular arrhythmias in septic shock—Comparison to amiodarone and metoprolol. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Yjrc(2017), <https://doi.org/10.1016/j.jcrc.2018.01.009>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Propafenone for supraventricular arrhythmias in septic shock—Comparison to amiodarone and metoprolol

Johad Khoury¹, Zaher S. Azzam^{2,3}

1 Pulmonary Division, Lady Davis Carmel Medical Center, Haifa, Israel.

2 Internal Medicine Department B, Rambam health care campus, Haifa, Israel.

3 The Ruth & Bruce Rappaport faculty of medicine at the Technion – Israel institute of technology, Haifa, Israel.

All the authors certify that we have no commercial associations (e.g. consultations, stock ownership, equality interests, and patent-licensing arrangements) that might pose a conflict of interest in connection with the submitted article.

Download English Version:

<https://daneshyari.com/en/article/8620372>

Download Persian Version:

<https://daneshyari.com/article/8620372>

[Daneshyari.com](https://daneshyari.com)