

## Author's Accepted Manuscript

Chronic tophaceous gout as the first manifestation of gout in two cases and a review of the literature

Amir Bieber, Naomi Schlesinger, Abdallah Fawaz, Reuven Mader



[www.elsevier.com/locate/bios](http://www.elsevier.com/locate/bios)

PII: S0049-0172(17)30539-5

DOI: <https://doi.org/10.1016/j.semarthrit.2017.11.006>

Reference: YSARH51274

To appear in: *Seminars in Arthritis and Rheumatism*

Cite this article as: Amir Bieber, Naomi Schlesinger, Abdallah Fawaz and Reuven Mader, Chronic tophaceous gout as the first manifestation of gout in two cases and a review of the literature, *Seminars in Arthritis and Rheumatism*, doi:10.1016/j.semarthrit.2017.11.006

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Chronic Tophaceous Gout as the First Manifestation of Gout in Two Cases and a  
Review of the Literature.**

Amir Bieber<sup>1</sup>, Naomi Schlesinger<sup>2</sup>, Abdallah Fawaz<sup>1</sup>, Reuven Mader<sup>1,3</sup>

Rheumatic Diseases Unit Ha'Emek Medical Center, Afula, Israel<sup>1</sup>

Division of Rheumatology Department of Medicine, Rutgers – Robert Wood Johnson  
Medical School<sup>2</sup>, New Brunswick, NJ, USA

The Technion Institute of Technology, Haifa, Israel<sup>3</sup>

Address for correspondence:

Amir Bieber, MD

Rheumatic Diseases Unit

Ha'Emek Medical Center

Afula 18101, Israel

Tel: 972-4-6494354

Fax: 972-4-6494453

Email: amir.bieber@gmail.com

Key Words:

Chronic Tophaceous Gout, Hyperuricemia, Diuretics, Chronic Kidney Disease

Abstract:

Objectives: Acute gout is a common arthritis that may eventually develop into chronic tophaceous gout (CTG). CTG usually is manifested by recurrent gout attacks. The diagnosis and treatment of CTG is challenging. Although the emergence of CTG without previous gout attacks is uncommon, it is important to recognize this unusual gout presentation.

Download English Version:

<https://daneshyari.com/en/article/8623758>

Download Persian Version:

<https://daneshyari.com/article/8623758>

[Daneshyari.com](https://daneshyari.com)