


Accepted Manuscript

Role of gene polymorphisms/haplotypes and serum levels of interleukin-17A in susceptibility to viral myocarditis

Hui Tang, Hua Pei, Qianfeng Xia, Yimei Tang, Ji Huang, Jie Huang, Fang Pei



PII: S0014-4800(17)30519-1
DOI: doi:[10.1016/j.yexmp.2018.03.002](https://doi.org/10.1016/j.yexmp.2018.03.002)
Reference: YEXMP 4123
To appear in: *Experimental and Molecular Pathology*
Received date: 4 October 2017
Revised date: 19 February 2018
Accepted date: 8 March 2018

Please cite this article as: Hui Tang, Hua Pei, Qianfeng Xia, Yimei Tang, Ji Huang, Jie Huang, Fang Pei , Role of gene polymorphisms/haplotypes and serum levels of interleukin-17A in susceptibility to viral myocarditis. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Yexmp(2018), doi:[10.1016/j.yexmp.2018.03.002](https://doi.org/10.1016/j.yexmp.2018.03.002)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Role of gene polymorphisms/haplotypes and serum Levels of interleukin-17A in susceptibility to viral myocarditis

Running head: IL-17A gene polymorphism and viral myocarditis

Hui Tang ^{a, *}, Hua Pei ^{b, *}, Qianfeng Xia ^b, Yimei Tang ^a, Ji Huang ^d, Jie Huang ^d, Fang Pei ^{c, d, §}

^a Department of Cardiology, People's Hospital of Shuangqiao Economic and Technological Development Zone, Chongqing, China

^b Laboratory of Tropical Biomedicine and Biotechnology, Hainan Medical University, Haikou, China

^c Department of Cardiology, The Second Affiliated Hospital of Guilin Medical University, Guilin, Guangxi, China

^d Department of Cardiology, Chongqing Municipal Corps Hospital of Chinese People's Armed Police Force, Chongqing, China

*Co-first author: Hui Tang and Hua Pei contributed equally to this study. They are co-first authors.

§**To whom correspondence should be addressed:** Fang PEI, MD, Department of Cardiology, The Second Affiliated Hospital of Guilin Medical University, No. 212, RenMin Road, Lingui District, Guilin, Guangxi 541199, China; E-mail: gypeifang @163.com

Source of support: This work was supported by grants from the Chongqing Base and Cutting-edge Research Projects (cstc2015jcyjA10047), and the National Natural Science Foundation of China (No.81641166).

Download English Version:

<https://daneshyari.com/en/article/8624165>

Download Persian Version:

<https://daneshyari.com/article/8624165>

[Daneshyari.com](https://daneshyari.com)