

Accepted Manuscript

LINOLEIC ACID, GLYCEMIC CONTROL AND TYPE 2 DIABETES

Martha A. Belury , Rachel M. Cole , Deena B. Snoke ,
Taylor Banh , Austin Angelotti

PII: S0952-3278(18)30065-6
DOI: [10.1016/j.plefa.2018.03.001](https://doi.org/10.1016/j.plefa.2018.03.001)
Reference: YPLEF 1906



To appear in: *Prostaglandins, Leukotrienes and Essential Fatty Acids (PLEFA)*

Received date: 7 March 2018
Accepted date: 7 March 2018

Please cite this article as: Martha A. Belury , Rachel M. Cole , Deena B. Snoke , Taylor Banh , Austin Angelotti , LINOLEIC ACID, GLYCEMIC CONTROL AND TYPE 2 DIABETES, *Prostaglandins, Leukotrienes and Essential Fatty Acids (PLEFA)* (2018), doi: [10.1016/j.plefa.2018.03.001](https://doi.org/10.1016/j.plefa.2018.03.001)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights:

- The n-6 fatty acid, linoleic acid, is associated with reduced risk for type 2 diabetes and insulin sensitivity

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/8624609>

Download Persian Version:

<https://daneshyari.com/article/8624609>

[Daneshyari.com](https://daneshyari.com)