


## Accepted Manuscript

Pharmacological inhibition of tankyrase induces bone loss in mice by increasing osteoclastogenesis

Shunichi Fujita, Tomoyuki Mukai, Takafumi Mito, Shoko Kodama, Akiko Nagasu, Mizuho Kittaka, Teruki Sone, Yasuyoshi Ueki, Yoshitaka Morita



PII: S8756-3282(17)30383-6  
DOI: doi:[10.1016/j.bone.2017.10.017](https://doi.org/10.1016/j.bone.2017.10.017)  
Reference: BON 11457

To appear in: *Bone*

Received date: 15 August 2017  
Revised date: 5 October 2017  
Accepted date: 18 October 2017

Please cite this article as: Shunichi Fujita, Tomoyuki Mukai, Takafumi Mito, Shoko Kodama, Akiko Nagasu, Mizuho Kittaka, Teruki Sone, Yasuyoshi Ueki, Yoshitaka Morita, Pharmacological inhibition of tankyrase induces bone loss in mice by increasing osteoclastogenesis. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Bone*(2017), doi:[10.1016/j.bone.2017.10.017](https://doi.org/10.1016/j.bone.2017.10.017)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Pharmacological inhibition of tankyrase induces bone loss in mice by increasing osteoclastogenesis

Shunichi Fujita<sup>1</sup>, Tomoyuki Mukai<sup>1\*</sup>, Takafumi Mito<sup>1</sup>, Shoko Kodama<sup>1</sup>, Akiko Nagasu<sup>1</sup>, Mizuho Kittaka<sup>2</sup>, Teruki Sone<sup>3</sup>, Yasuyoshi Ueki<sup>2</sup>, Yoshitaka Morita<sup>1</sup>

<sup>1</sup>Department of Rheumatology, Kawasaki Medical School, Kurashiki, Japan

<sup>2</sup>Department of Oral and Craniofacial Sciences, School of Dentistry, University of Missouri-Kansas City, MO, USA

<sup>3</sup>Department of Nuclear Medicine, Kawasaki Medical School, Kurashiki, Japan

\*Corresponding Author:

Tomoyuki Mukai, M.D., Ph.D.

Department of Rheumatology, Kawasaki Medical School

577 Matsushima, Kurashiki, Okayama 701-0192, Japan

E-mail: [mukait@med.kawasaki-m.ac.jp](mailto:mukait@med.kawasaki-m.ac.jp)

TEL: +81-86-462-1111

FAX: +81-86-464-1138

## Abbreviations used in this article

PARP, poly(ADP-ribose) polymerase; SH3BP2, SH3 domain-binding protein 2; BMMs, bone marrow-derived macrophages; WT, wild-type; MNCs, multinucleated cells; CBP, CREB-binding protein; OIM, osteogenic induction medium

Download English Version:

<https://daneshyari.com/en/article/8625254>

Download Persian Version:

<https://daneshyari.com/article/8625254>

[Daneshyari.com](https://daneshyari.com)