## Accepted Manuscript

Genetic variations and risk of placental abruption: A genome-wide association study and meta-analysis of genome-wide association studies

Tsegaselassie Workalemahu, Daniel A. Enquobahrie, Bizu Gelaye, Sixto E. Sanchez, Pedro J. Garcia, Fasil Tekola-Ayele, Anjum Hajat, Timothy A. Thornton, Cande V. Ananth, Michelle A. Williams

PII: S0143-4004(18)30164-4

DOI: 10.1016/j.placenta.2018.04.008

Reference: YPLAC 3812

To appear in: *Placenta* 

Received Date: 14 December 2017

Revised Date: 11 April 2018

Accepted Date: 13 April 2018

Please cite this article as: Workalemahu T, Enquobahrie DA, Gelaye B, Sanchez SE, Garcia PJ, Tekola-Ayele F, Hajat A, Thornton TA, Ananth CV, Williams MA, Genetic variations and risk of placental abruption: A genome-wide association study and meta-analysis of genome-wide association studies, *Placenta* (2018), doi: 10.1016/j.placenta.2018.04.008.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## Genetic Variations and Risk of Placental Abruption: A Genome-Wide Association Study and Meta-analysis of Genome-Wide Association Studies

Tsegaselassie Workalemahu<sup>a,b</sup>, Daniel A. Enquobahrie<sup>a,c</sup>, Bizu Gelaye<sup>d</sup>, Sixto E. Sanchez<sup>e,f,g</sup>, Pedro J. Garcia<sup>g</sup>, Fasil Tekola-Ayele<sup>b</sup>, Anjum Hajat<sup>a</sup>, Timothy A. Thornton<sup>h</sup>, Cande V. Ananth<sup>i,j</sup>, Michelle A. Williams<sup>c</sup>

<sup>a</sup>Department of Epidemiology, School of Public Health, University of Washington, Seattle, Washington; <sup>b</sup>Epidemiology Branch, Division of Intramural Population Health Research, *Eunice Kennedy Shriver* National Institute of Child Health and Human Development, National Institutes of Health, Bethesda, Maryland; <sup>c</sup>Center for Perinatal Studies, Swedish Medical Center, Seattle, Washington; <sup>d</sup>Department of Epidemiology, Harvard T.H. Chan School of Public Health, Boston, Massachusetts; <sup>e</sup>Facultad de Medicina Humana, Universidad San Martín de Porres, Lima, Peru; <sup>f</sup>Asociación Civil PROESA, Lima, Peru; <sup>g</sup>Instituto Nacional Materno Perinatal, Lima, Peru; <sup>h</sup>Department of Biostatistics, University of Washington, Seattle, Washington; <sup>i</sup>Department of Obstetrics and Gynecology, Roy and Diana Vagelos College of Physicians and Surgeons, Columbia University, New York, NY; and <sup>j</sup>Department of Epidemiology, Joseph L. Mailman School of Public Health, Columbia University, New York, NY

Correspondence: Tsegaselassie Workalemahu, MS Department of Epidemiology, School of Public Health University of Washington tworkale@uw.edu

## Keywords

Placental abruption, genome-wide association study, meta-analysis

Download English Version:

https://daneshyari.com/en/article/8626381

Download Persian Version:

https://daneshyari.com/article/8626381

Daneshyari.com