Accepted Manuscript



The hypothalamic-pituitary-thyroid axis and biological rhythms: the discovery of TSH's unexpected role using animal models

Keisuke Ikegami, Ph.D., Assistant Professor, Takashi Yoshimura, Ph.D., FRSB, Professor

PII: S1521-690X(17)30096-9

DOI: 10.1016/j.beem.2017.09.002

Reference: YBEEM 1162

To appear in: *Best Practice & Research Clinical Endocrinology & Metabolism*

Please cite this article as: Ikegami K, Yoshimura T, The hypothalamic-pituitary-thyroid axis and biological rhythms: the discovery of TSH's unexpected role using animal models, *Best Practice & Research Clinical Endocrinology & Metabolism* (2017), doi: 10.1016/j.beem.2017.09.002.

The hypothalamic-pituitary-thyroid axis and biological rhythms: the discovery of TSH's unexpected role using animal models

Keisuke Ikegami[1†] Ph.D., Assistant Professor

Takashi Yoshimura[1,2,3]* Ph.D., FRSB, Professor

[1]Laboratory of Animal Physiology, Graduate School of Bioagricultural Sciences, Nagoya University, Furo-cho, Chikusa-ku, Nagoya 464-8601, Japan

[2]Institute of Transformative Bio-Molecules (WPI-ITbM), Nagoya University, Furo-cho, Chikusa-ku, Nagoya 464-8601, Japan

[3]Division of Seasonal Biology, National Institute for Basic Biology, 38 Nishigonaka, Myodaiji, Okazaki, 444-8585, Japan

[†]Present address: Department of Anatomy and Neurobiology, Kindai University Faculty of Medicine, 377-2 Ohno-Higashi, Osaka-Sayama, Osaka 589-8511, Japan

* Corresponding author: Takashi Yoshimura, Ph.D.

Professor of Integrative Physiology, Institute of Transformative Bio-Molecules (WPI-ITbM), Nagoya University, Furo-cho, Chikusa-ku, Nagoya 464-8601, Japan

Phone and Fax +81-52-789-4056, E-mail address: takashiy@agr.nagoya-u.ac.jp

Key words: seasonal reproduction, photoperiod, pars tuberalis, glycosylation, amphibian metamorphosis