

Accepted Manuscript

Clinical Usefulness of the Body Muscle-to-Fat Ratio for Screening Obstructive Sleep Apnea Syndrome in Patients with Inadequately Controlled Type 2 Diabetes Mellitus

Noboru Kurinami, Seigo Sugiyama, Hiroko Ijima, Akira Yoshida, Kunio Hieshima, Fumio Miyamoto, Keizo Kajiwara, Katsunori Jinnouchi, Tomio Jinnouchi, Hideaki Jinnouchi

PII: S0168-8227(18)30608-9
DOI: <https://doi.org/10.1016/j.diabres.2018.07.008>
Reference: DIAB 7441

To appear in: *Diabetes Research and Clinical Practice*

Received Date: 14 April 2018
Revised Date: 22 June 2018
Accepted Date: 3 July 2018

Please cite this article as: N. Kurinami, S. Sugiyama, H. Ijima, A. Yoshida, K. Hieshima, F. Miyamoto, K. Kajiwara, K. Jinnouchi, T. Jinnouchi, H. Jinnouchi, Clinical Usefulness of the Body Muscle-to-Fat Ratio for Screening Obstructive Sleep Apnea Syndrome in Patients with Inadequately Controlled Type 2 Diabetes Mellitus, *Diabetes Research and Clinical Practice* (2018), doi: <https://doi.org/10.1016/j.diabres.2018.07.008>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Clinical Usefulness of the Body Muscle-to-Fat Ratio for Screening Obstructive Sleep**Apnea Syndrome in Patients with Inadequately Controlled Type 2 Diabetes Mellitus**

Noboru Kurinami^a, Seigo Sugiyama^{a,b}, Hiroko Ijima^a, Akira Yoshida^a, Kunio Hieshima^a,
Fumio Miyamoto^a, Keizo Kajiwara^a, Katsunori Jinnouchi^a, Tomio Jinnouchi^a, Hideaki
Jinnouchi^{a,c}

^aDiabetes Care Center, Jinnouchi Hospital, Kumamoto, Japan

^bDivision of Cardiovascular Medicine, Diabetes Care Center, Jinnouchi Hospital, Kumamoto,
Japan

^cDivision of Preventive Cardiology, Department of Cardiovascular Medicine, Kumamoto
University Hospital, Kumamoto, Japan

Noboru Kurinami and Seigo Sugiyama contributed equally to the present study.

Corresponding Author: Hideaki Jinnouchi,

6-2-3 Kuhonji, Chuo-ku, Kumamoto 862-0976, Japan

Phone: +81-096-363-0011; Fax: +81-096-364-2654

Email address: hideaki@jinnouchi.or.jp

Download English Version:

<https://daneshyari.com/en/article/8629621>

Download Persian Version:

<https://daneshyari.com/article/8629621>

[Daneshyari.com](https://daneshyari.com)