

# Accepted Manuscript

## Ethnic Dependent Differences in Diagnostic Accuracy of Glycated Hemoglobin (HbA1c) in Canadian adults

Ronald A Booth, Ying Jiang, Howard Morrison, Heather Orpana, Susan Rogers Van Katwyk, Chantal Lemieux


PII: S0168-8227(17)30893-8  
DOI: <https://doi.org/10.1016/j.diabres.2017.11.035>  
Reference: DIAB 7155

To appear in: *Diabetes Research and Clinical Practice*

Received Date: 30 May 2017  
Revised Date: 3 November 2017  
Accepted Date: 28 November 2017

Please cite this article as: R.A. Booth, Y. Jiang, H. Morrison, H. Orpana, S. Rogers Van Katwyk, C. Lemieux, Ethnic Dependent Differences in Diagnostic Accuracy of Glycated Hemoglobin (HbA1c) in Canadian adults, *Diabetes Research and Clinical Practice* (2017), doi: <https://doi.org/10.1016/j.diabres.2017.11.035>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



# **Ethnic Dependent Differences in Diagnostic Accuracy of Glycated Hemoglobin (HbA1c) in Canadian adults.**

Ronald A Booth<sup>1,2</sup>, Ying Jiang<sup>3</sup>, Howard Morrison<sup>3</sup>, Heather Orpana<sup>3,4</sup>, Susan Rogers Van Katwyk<sup>3,5</sup>, and Chantal Lemieux<sup>4</sup>

<sup>1</sup>Division of Biochemistry, The Ottawa Hospital.

<sup>2</sup>Department of Pathology and Laboratory Medicine, University of Ottawa

<sup>3</sup>Social Determinants and Science Integration Directorate, Public Health Agency of Canada

<sup>4</sup>School of Psychology, University of Ottawa

<sup>5</sup>School of Epidemiology, Public Health and Preventive Medicine, University of Ottawa

\* Corresponding Author: Dr. Ronald A Booth  
Division of Biochemistry  
The Ottawa Hospital  
501 Smyth Rd. Ottawa, CANADA  
K1H 8L6  
Telephone: (613) 737-8899 x79095  
E-mail: rbooth@toh.ca

Concise Title: Diagnostic accuracy of Glycated Hemoglobin

Word Count: Abstract: 250

Text: 2567

Tables and figures: 4

## **Conflict of Interest.**

The authors certify that they have NO affiliations with or involvement in any organization or entity with any financial interest (such as honoraria; educational grants; participation in speakers' bureaus; membership, employment, consultancies, stock ownership, or other equity interest; and expert testimony or patent-licensing arrangements), or non-financial interest (such as personal or professional relationships, affiliations, knowledge or beliefs) in the subject matter or materials discussed in this manuscript.

Download English Version:

<https://daneshyari.com/en/article/8630250>

Download Persian Version:

<https://daneshyari.com/article/8630250>

[Daneshyari.com](https://daneshyari.com)